

代号指示

01	电机	10	齿轮	19	平键	28	O形圈	37	箱体
02	螺母	11	平键	20	轴齿	29	轴承	38	轴承
03	透气螺塞	12	轴齿	21	轴承	30	垫圈	39	垫圈
04	平键	13	轴承	22	垫圈	31	齿轮	40	轴用挡圈
05	甩油盘	14	孔用挡圈	23	孔用挡圈	32	平键	41	孔用挡圈
06	双头螺柱	15	平面油封	24	平面油封	33	输出轴	42	齿轮
07	平面油封	16	轴承	25	输出法兰	34	外六角螺钉	43	油封
08	油塞	17	圈	26	油封	35	盖板		
09	轴承	18	齿轮	27	花形螺钉	36	纸垫		

上海梁瑾机电设备有限公司

电话：021-60538280 手机：13916695992 13661935973 QQ:1774474796

邮箱：1774474796@qq.com


网址：www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址：上海市松江区新桥镇茜浦路 850 弄 33 号



系列代号	FC..	底脚安装平行轴斜齿轮减速机
	FCA.B	底脚安装空心轴式平行轴斜齿轮减速机
	FCV..B	底脚安装花键空心轴式平行轴斜齿轮减速机
	FCH..B	底脚安装胀紧联接套空心轴式行轴斜齿轮减速机
	FCF..	B5法兰安装平行轴斜齿轮减速机
	FCAF..	B5法兰安装空心轴式平行轴斜齿轮减速机
	FCVF..	B5法兰安装花键空心轴式平行轴斜齿轮减速机
	FCHF..	B5法兰安装胀紧联接套空心轴式平行轴斜齿轮减速机
	FCA..	空心轴式平行轴斜齿轮减速机
	FCV..	花键空心轴式平行轴斜齿轮减速机
	FCH..	胀紧联接套空心轴式平行轴斜齿轮减速机
	FCAZ..	B14法兰安装空心轴式平行轴斜齿轮减速机
	FCVZ..	B14法兰安装花键空心轴式平行轴斜齿轮减速机
	FCHZ..	B14法兰安装胀紧联接套空心轴式平行轴斜齿轮减速机
	FC.RC..	双联体齿轮减速机
机座号	27,37,47,57,67, 77,87,97,107, 127,157	FC..机座规格
	27/17,37/17,47/17, 57/37,67/37,77/37, 87/57,97/57,107/77, 127/77,127/87, 157/97	FC..RC..联体机座组合规格
传动比	3.77,....,281.71	FC..减速比
	87,....,31434	FC..RC..减速比
电机功率	0.12,....,200kW	电机功率(kw)
电机极数	2P,4P,6P,8P	电机极数
安装方位	M1,M2,M3, M4,M5,M6	减速机的安装方位
接线盒方位	R(0°)	电机接线盒方位
	B(90°)	
	L(180°)	
	T(270°)	

FC系列减速电机标说明



双联体齿轮减速机

为达到特别低的输出转速，可以通过两个齿轮减速机相联的方法来实现。当采用这种传动方案时，可配置电动机的功率必须依赖于减速机的极限输出扭矩，而不能通过电机功率来计算减速机的输出扭矩。参见 P080-083页性能参数表。

双联体齿轮减速机可能的联接

	RC..17	RC..27	RC..37	RC..47	RC..57	RC..67	RC..77	RC..87	RC..97	RC..107
FC..27	●									
FC..37	●									
FC..47	●									
FC..57			●							
FC..67			●							
FC..77			●							
FC..87					●					
FC..97					●					
FC..107							●			
FC..127							●	●		
FC..157									●	

注：●表示可能的组合，空白的部分表示不允的组合。

上海梁瑾机电设备有限公司

电话：021-60538280 手机：13916695992 13661935973 QQ:1774474796

邮箱：1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号				
0.12kW						0.12kW									
0.06	13900	22323	0.85	FCA127RC77 YS6314 FCAF127RC77 YS6314 FC127RC77 YS6314 FCF127RC77 YS6314	YS6314	3.2	310	426	1.95	FCA57RC37 YS6314 FCAF57RC37 YS6314 FC57RC37 YS6314 FCF57RC37 YS6314	YS6314				
0.07	11900	19048	1.00			3.6	275	382	2.2						
0.08	10400	16656	1.15			4.2	235	330	2.6						
0.09	9180	14722	1.30			4.6	210	298	2.9						
0.11	8000	12912	1.50			5.3	185	262	3.2						
0.12	7050	11656	1.70												
0.14	6310	10191	1.90												
0.09	9210	14767	0.85	FCA107RC77 YS6314 FCAF107RC77 YS6314 FC107RC77 YS6314 FCF107RC77 YS6314	YS6314	2.5	385	543	1.05	FCA47RC17 YS6314 FCAF47RC17 YS6314 FC47RC17 YS6314 FCF47RC17 YS6314	YS6314				
0.12	7080	11348	1.10			2.9	335	475	1.20						
0.14	5750	10039	1.35			3.3	290	419	1.40						
0.16	4680	8548	1.65												
0.18	4750	7674	1.60			2.6	380	524	1.05						
0.20	4090	6767	1.90			2.8	355	489	1.15						
0.23	3470	5954	2.2			3.2	305	427	1.30						
0.26	2990	5223	2.6			3.6	270	381	1.50						
0.30	2850	4567	2.7			4.1	235	334	1.70						
0.39	2130	3521	3.6			4.7	205	295	1.95						
				5.5	172	253	2.3								
0.21	4150	6469	1.05	FCA97RC57 YS6314 FCAF97RC57 YS6314 FC97RC57 YS6314 FCF97RC57 YS6314	YS6314	4.3	220	322	0.90	FCA37RC17 YS6314 FCAF37RC17 YS6314 FC37RC17 YS6314 FCF37RC17 YS6314	YS6314				
0.25	3820	5615	1.15			5.0	192	278	1.05						
0.28	3320	4961	1.30			5.7	162	242	1.25						
0.32	2900	4333	1.50			6.2	156	221	1.30						
0.35	2690	3906	1.60	FCA97RC57 YS6314 FCAF97RC57 YS6314 FC97RC57 YS6314 FCF97RC57 YS6314	YS6314	4.2	235	326	0.85	FCA37RC17 YS6314 FCAF37RC17 YS6314 FC37RC17 YS6314 FCF37RC17 YS6314	YS6314				
0.41	2320	3352	1.85			4.9	205	285	1.00						
0.47	1920	2907	2.2			5.5	177	250	1.15						
0.54	1760	2553	2.4			6.3	156	219	1.30						
						7.4	132	186	1.50						
0.33	2770	4245	1.10	FCA87RC57 YS6314 FCAF87RC57 YS6314 FC87RC57 YS6314 FCF87RC57 YS6314	YS6314	7.4	132	186	1.50	FCA27RC17 YS6314 FCAF27RC17 YS6314 FC27RC17 YS6314 FCF27RC17 YS6314	YS6314				
0.37	2220	3721	1.35			8.3	118	167	1.70						
0.43	2250	3244	1.35			6.2	155	221	0.85						
0.48	1990	2881	1.50			8.0	119	172	1.10						
0.54	1780	2576	1.70	FCA87RC57 YS6314 FCAF87RC57 YS6314 FC87RC57 YS6314 FCF87RC57 YS6314	YS6314	9.0	104	153	1.25	FCA27RC17 YS6314 FCAF27RC17 YS6314 FC27RC17 YS6314 FCF27RC17 YS6314	YS6314				
0.63	1520	2199	2.0			11.0	87	130	1.50						
0.72	1310	1930	2.3			6.5	150	211	0.85						
0.81	1180	1709	2.6			7.4	131	186	1.10						
0.92	1030	1493	2.9			9.7	102	142	1.25						
1.10	820	1300	3.7			11.0	88	124	1.45						
1.20	745	1148	4.0			13.0	77	109	1.70						
						14.0	67	96	1.95						
0.53	1820	2613	0.80			FCA77RC37 YS6314 FCAF77RC37 YS6314 FC77RC37 YS6314 FCF77RC37 YS6314	YS6314	6.9	166			199.70	3.6	FCA57 YS6314 FCAF57 YS6314 FC57 YS6314 FCF57 YS6314	YS6314
0.60	1570	2284	0.95					7.5	153			183.60	3.9		
0.68	1390	2029	1.10	8.8	130			157.09	4.6						
				10	113			136.16	5.3						
0.80	1180	1728	1.25	FCA77RC37 YS6314 FCAF77RC37 YS6314 FC77RC37 YS6314 FCF77RC37 YS6314	YS6314	7.2	158	190.76	2.5	FCA47 YS6314 FCAF47 YS6314 FC47 YS6314 FCF47 YS6314	YS6314				
0.89	1090	1544	1.40			7.9	146	175.38	2.8						
1.0	960	1354	1.55			9.2	125	150.06	3.2						
1.2	850	1200	1.75			11.0	108	130.07	3.7						
1.3	745	1053	2.0												
1.5	635	910	2.4			11	107	128.51	1.85						
1.7	530	810	2.8			12	98	117.88	2.0						
1.9	465	710	3.2			14	83	100.36	2.4						
0.97	960	1429	0.85			FCA67RC37 YS6314 FCAF67RC37 YS6314 FC67RC37 YS6314 FCF67RC37 YS6314	YS6314	16	72			86.53	2.8	FCA37 YS6314 FCAF37 YS6314 FC37 YS6314 FCF37 YS6314	YS6314
1.1	870	1271	0.95	17	67			80.65	3.0						
1.2	725	1102	1.15												
1.4	640	970	1.30	9.8	117			140.74	1.10						
1.6	560	858	1.45	11	107			129.09	1.20						
1.8	495	755	1.65	13	91			109.90	1.40						
2.1	420	641	1.95	15	79			94.76	1.65						
2.4	390	572	2.1	16	73			88.32	1.75						
2.7	330	509	2.5	18	64			77.21	2.0						
3.2	290	437	2.9	19	60			72.37	2.2						
1.6	615	851	1.00	FCA57RC37 YS6314 FCAF57RC37 YS6314 FC57RC37 YS6314 FCF57RC37 YS6314	YS6314	22	53	63.86	2.5	FCA27 YS6314 FCAF27 YS6314 FC27 YS6314 FCF27 YS6314	YS6314				
1.9	525	738	1.15			24	47	56.62	2.8						
2.1	455	646	1.30			28	42	50.19	3.1						
2.5	390	558	1.55			30	39	46.78	3.4						
2.7	345	506	1.75			34	34	40.89	3.8						
3.1	300	452	2.0			36	32	38.33	4.1						
						41	28	33.83	4.6						

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号										
0.12kW						0.18kW															
47	25	29.56	5.3	FCA27 FCAF27 FC27 FCF27	YS6314 YS6314 YS6314 YS6314	1.5	940	858	0.85	FCA67RC37 FCAF67RC37 FC67RC37 FCF67RC37	YS6324 YS6324 YS6324 YS6324										
51	23	27.18	5.8			1.8	830	755	1.00												
59	19	23.25	6.7			2.1	705	641	1.15												
68	17	20.15	7.8			2.3	645	572	1.25												
73	16	18.84	8.3			2.6	560	509	1.45												
85	14	16.28	9.6			3.0	480	437	1.70												
100	12	13.84	11			3.4	435	384	1.90												
112	10	12.35	13			2.6	580	500	1.40												
131	8.8	10.55	15			2.9	530	454	1.55												
140	8.2	9.88	16			3.4	455	392	1.80												
147	7.8	9.40	17			4.0	380	333	2.2												
170	6.7	8.13	18			4.4	335	297	2.4												
200	5.7	6.91	20			5.1	295	261	2.8												
224	5.1	6.17	21			5.5	265	238	3.1												
262	4.4	5.27	23	6.6	220	200	3.7														
280	4.1	4.93	23	2.4	640	558	0.95	FCA57RC37	YS6324												
332	3.5	4.16	25	2.6	570	506	1.05	FCAF57RC37	YS6324												
0.18kW						2.9	500	452	1.20	FC57RC37	YS6324										
0.10	13700	12912	0.90	FCA127RC77 FCAF127RC77 FC127RC77 FCF127RC77	YS6324 YS6324 YS6324 YS6324	3.4	425	386	1.40	FCF57RC37	YS6324										
0.11	12200	11656	1.00			3.9	370	338	1.60												
0.13	10800	10191	1.10			3.1	500	426	1.20												
0.15	8950	8831	1.35			3.5	445	382	1.35												
0.17	7740	7643	1.55			4.0	380	330	1.55												
0.20	7130	6715	1.70	4.4	345	298	1.75														
0.15	8450	8548	0.90	5.0	305	262	2.0														
0.17	8130	7674	0.95	5.8	255	226	2.3														
0.20	7070	6767	1.10	6.6	225	200	2.7														
0.22	6090	5954	1.25	3.6	410	370	0.95	FCA47RC17	YS6324												
0.25	5290	5223	1.45	4.1	375	324	1.05	FCAF47RC17	YS6324												
0.29	4850	4567	1.60	4.6	325	288	1.20	FC47RC17	YS6324												
0.37	3680	3521	2.1	5.3	280	249	1.45	FCF47RC17	YS6324												
0.43	3260	3037	2.4	4.0	385	334	1.05	FCA47RC17 FCAF47RC17 FC47RC17 FCF47RC17	YS6324 YS6324 YS6324 YS6324												
0.48	2960	2756	2.6	4.5	340	295	1.20														
0.56	2540	2369	3.0	5.2	285	253	1.40														
0.64	2220	2068	3.5	6.1	255	217	1.55														
				7.0	220	190	1.80														
0.30	4810	4333	0.90	7.4	205	178	1.95	7.1	215	186	0.95	FCA37RC17	YS6324								
0.34	4430	3906	0.95	FCA97RC57 FCAF97RC57 FC97RC57 FCF97RC57	YS6324 YS6324 YS6324 YS6324	7.9	194	167	1.05	9.1	171	145	1.15	FC37RC17	YS6324						
																9.1	171	145	1.15		
																10	151	129	1.30		
																9.3	166	142	0.80		
																11	144	124	0.90		
																12	126	109	1.05		
																14	110	96	1.20		
																5.8	300	228.99	2.8	FCA67	YS6324
																6.8	255	195.39	3.2	FCAF67	YS6324
																7.7	225	170.85	3.7	FC67	YS6324
				FCF67	YS6324																
6.6	260	199.70	2.3	FCA57	YS6324																
7.2	240	183.60	2.5	FCAF57	YS6324																
8.4	205	157.09	2.9	FC57	YS6324																
9.7	177	136.16	3.4	FCF57	YS6324																
10	166	127.27	3.6																		
6.9	250	190.76	1.60	FCA47	YS6324																
7.5	230	175.38	1.75	FCAF47	YS6324																
8.8	195	150.06	2.1	FC47	YS6324																
10	169	130.07	2.4	FCF47	YS6324																
11	158	121.57	2.5																		
10	167	128.51	1.20	FCA37 FCAF37 FC37 FCF37	YS6324 YS6324 YS6324 YS6324																
11	154	117.88	1.30																		
13	131	100.36	1.55																		
15	113	86.53	1.75																		
16	105	80.65	1.90																		
19	92	70.50	2.2																		
20	86	66.09	2.3																		
23	76	58.32	2.6																		

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	
0.18kW						0.25kW						
12	143	109.90	0.90	FCA27 FCAF27 FC27 FCF27	YS6324 YS6324 YS6324 YS6324	1.2	1740	1053	0.85	FCA77RC37 FCAF77RC37 FC77RC37 FCF77RC37	YS7114 YS7114 YS7114 YS7114	
14	123	94.76	1.05			1.4	1500	910	1.00			
15	115	88.32	1.15			1.6	1300	810	1.15			
17	101	77.21	1.30			1.8	1140	710	1.30			
18	94	72.37	1.40			2.1	1000	615	1.50			
21	83	63.86	1.55			2.4	880	538	1.70			
23	74	56.62	1.75			2.7	780	480	1.95			
26	65	50.19	2.0			3.1	660	413	2.3			
28	61	46.78	2.1			2.3	930	572	0.90	FCA67RC37 FCAF67RC37 FC67RC37 FCF67RC37	YS7114 YS7114 YS7114 YS7114	
32	53	40.89	2.4			2.6	810	509	1.00			
34	50	38.33	2.6	3.0	700	437	1.15					
39	44	33.83	3.0	2.6	830	500	1.00	FCA67RC37 FCAF67RC37 FC67RC37 FCF67RC37	YS7114 YS7114 YS7114 YS7114			
45	39	29.56	3.4	2.9	760	454	1.10					
49	35	27.18	3.7	3.3	655	392	1.25					
57	30	23.25	4.3	3.9	550	333	1.50					
65	26	20.15	5.0	4.4	490	297	1.70					
70	25	18.84	5.3	5.0	430	261	1.90					
81	21	16.28	6.1	5.5	385	238	2.1	FCA57RC37 FCAF57RC37 FC57RC37 FCF57RC37	YS7114 YS7114 YS7114 YS7114			
95	18	13.84	7.2	3.4	620	386	0.95					
107	16	12.35	8.1	3.9	540	338	1.10					
125	14	10.55	9.5	5.1	410	255	1.45					
134	13	9.88	10	3.4	640	382	0.95			FCA57RC37 FCAF57RC37 FC57RC37 FCF57RC37	YS7114 YS7114 YS7114 YS7114	
140	12	9.40	11	3.9	540	338	1.10					
162	11	8.13	12	5.1	410	255	1.45					
191	9.0	6.91	13	3.4	640	382	0.95					
214	8.0	6.17	14	3.9	550	330	1.10					
251	6.9	5.27	15	4.4	495	298	1.20	FCA57RC37 FCAF57RC37 FC57RC37 FCF57RC37	YS7114 YS7114 YS7114 YS7114			
268	6.4	4.93	15	5.0	435	262	1.35					
318	5.4	4.16	16	5.8	370	226	1.60					
335	5.1	8.13	24	6.5	325	200	1.85					
394	4.4	6.91	26	7.7	275	170	2.2					
441	3.9	6.17	28	5.2	405	249	1.00	FCA47RC17 FCAF47RC17 FC47RC17 FCF47RC17	YS7114 YS7114 YS7114 YS7114			
516	3.3	5.27	30	6.0	360	218	1.10					
551	3.1	4.93	31	6.7	315	193	1.25					
655	2.6	4.16	34	7.5	285	175	1.40					
0.15	13300	8831	0.90	FCA127RC77 FCAF127RC77 FC127RC77 FCF127RC77	YS7114 YS7114 YS7114 YS7114	5.1	415			253	0.95	FCA47RC17 FCAF47RC17 FC47RC17 FCF47RC17
0.17	11500	7643	1.05			6.0	365	217	1.10			
0.19	10500	6715	1.15			6.9	320	190	1.25			
0.22	9240	5925	1.30			7.3	295	178	1.35			
0.25	7950	5153	1.50			8.7	250	149	1.60			
0.29	6890	4533	1.75	9.9	215	131	1.85					
0.22	9050	5954	0.85	FCA107RC77 FCAF107RC77 FC107RC77 FCF107RC77	YS7114 YS7114 YS7114 YS7114	8.9	245	145	0.80	FCA37RC17 FCAF37RC17 FC37RC17 FCF37RC17	YS7114 YS7114 YS7114 YS7114	
0.25	7890	5223	0.95			10	215	129	0.90			
0.28	7120	4567	1.10			11	198	118	1.00			
0.37	5430	3521	1.40			13	164	98	1.20			
0.43	4790	3037	1.60			15	144	87	1.40			
0.47	4340	2756	1.75	FCA107RC77 FCAF107RC77 FC107RC77 FCF107RC77	YS7114 YS7114 YS7114 YS7114	3.1	765	281.71	1.95	FCA77 FCAF77 FC77 FCF77	YS7126 YS7126 YS7126 YS7126	
0.55	3730	2369	2.1			3.4	715	262.93	2.1			
0.63	3260	2068	2.4			3.9	615	225.79	2.5			
0.81	2490	1597	3.1			4.4	540	198.31	2.8			
0.93	2160	1401	3.6			4.7	510	188.40	2.9			
0.45	4680	2907	0.90	FCA97RC77 FCAF97RC77 FC97RC77 FCF97RC77	YS7114 YS7114 YS7114 YS7114	3.8	620	228.99	1.30	FCA67 FCAF67 FC67 FCF67	YS7126 YS7126 YS7126 YS7126	
0.51	4180	2553	1.05			4.5	530	195.39	1.55			
0.58	3680	2245	1.15			5.2	465	170.85	1.75			
0.66	3200	1970	1.35			5.4	440	162.31	1.85			
0.75	2820	1722	1.50			6.2	385	142.40	2.1			
0.85	2500	1527	1.70			FCA67 FCAF67 FC67 FCF67	YS7114 YS7114 YS7114 YS7114	5.7	420	228.99	1.95	
0.98	2100	1327	2.1					6.7	360	195.39	2.3	
1.1	1920	1171	2.2					7.6	315	170.85	2.6	
1.3	1680	1022	2.6					8.0	300	162.31	2.8	
0.67	3140	1930	0.95					9.1	260	142.40	3.1	
0.76	2800	1709	1.05	FCA87RC57 FCAF87RC57 FC87RC57 FCF87RC57	YS7114 YS7114 YS7114 YS7114	4.4	540	199.70	1.10	FCA57 FCAF57 FC57 FCF57	YS7126 YS7126 YS7126 YS7126	
0.87	2450	1493	1.25			4.8	500	183.60	1.20			
1.0	2050	1300	1.45			5.6	425	157.09	1.40			
1.1	1830	1148	1.65			6.5	370	136.16	1.60			
1.3	1600	1010	1.90			6.9	345	127.27	1.75			
1.5	1420	887	2.1			8.0	300	110.01	2.0			
1.7	1230	780	2.4									
1.9	1050	674	2.9									

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号		
0.25kW						0.37kW							
6.5	365	199.70	1.65	FCA57 FCAF57 FC57 FCF57	YS7114	0.21	15000	6715	0.80	FCA127RC77 FCAF127RC77 FC127RC77 FCF127RC77	YS7124		
7.1	335	183.60	1.80			0.23	13200	5925	0.90				
8.3	290	157.09	2.1			0.27	11400	5153	1.05				
9.6	250	136.16	2.4			0.30	9930	4533	1.20				
10	235	127.27	2.6			0.35	8690	3926	1.40				
12	200	110.01	3.0	0.40	7570	3454	1.60	0.46	6610	3031	1.80		
5.9	405	150.06	1.00	FCA47	YS7126	0.45	6850	3037	1.10	FCA107RC77	YS7124		
6.8	355	130.07	1.15	FCAF47	YS7126	0.50	6220	2756	1.25	FCAF107RC77	YS7124		
7.2	330	121.27	1.20	FC47	YS7126	0.58	5350	2369	1.45	FC107RC77	YS7124		
8.4	285	105.09	1.40	FCF47	YS7126	0.67	4670	2068	1.65	FCF107RC77	YS7124		
0.86	3580	1597	2.2			0.70	4540	1970	0.95				
6.8	350	190.76	1.15	FCA47 FCAF47 FC47 FCF47	YS7114	0.80	4000	1722	1.10	FCA97RC57	YS7124		
7.4	320	175.38	1.25			0.90	3550	1527	1.20	FCAF97RC57	YS7124		
8.7	275	150.06	1.45			1.0	3000	1327	1.45	FC97RC57	YS7124		
10	240	130.07	1.65			1.2	2720	1171	1.60	FCF97RC57	YS7124		
11	225	121.57	1.80			1.4	2370	1022	1.80				
12	193	105.09	2.1			1.5	2000	898	2.1				
15	164	89.29	2.4			1.1	2940	1300	1.00				
10	235	128.51	0.85	FCA37 FCAF37 FC37 FCF37	YS7114	1.2	2620	1148	1.15	FCA87RC57	YS7124		
11	215	117.88	0.90			1.4	2280	1010	1.30	FCAF87RC57	YS7124		
13	184	100.36	0.10			1.6	2020	887	1.50	FC87RC57	YS7124		
15	159	86.53	1.25			1.8	1760	780	1.70	FCF87RC57	YS7124		
16	148	80.65	1.35			2.0	1500	674	2.0				
18	130	70.50	1.55			2.3	1380	609	2.2				
20	121	66.09	1.65			2.7	1160	515	2.6				
22	107	58.32	1.85			3.1	1020	452	2.9				
24	100	54.54	2.0			1.7	1850	810	0.80				
25	95	51.70	2.1			1.9	1620	710	0.95				
28	86	47.02	2.3			2.2	1420	615	1.05	FCA77RC57	YS7124		
30	81	43.83	2.5			2.6	1240	538	1.20	FCAF77RC57	YS7124		
34	70	38.31	2.8			2.9	1110	480	1.35	FC77RC57	YS7124		
36	66	35.91	3.0			3.4	940	413	1.60	FCF77RC57	YS7124		
41	58	31.69	3.4			3.8	840	367	1.80				
						4.3	750	323	2.0				
17	142	77.21	0.90	FCA27 FCAF27 FC27 FCF27	YS7114	3.6	890	384	0.95	FCA67RC57	YS7124		
18	133	72.37	1.00			4.1	785	338	1.05	FCAF67RC57	YS7124		
20	117	63.86	1.10			4.5	705	305	1.15	FC67RC57	YS7124		
23	104	56.62	1.25			5.4	590	257	1.40	FCF57RC57	YS7124		
26	92	50.19	1.40			6.0	525	231	1.55				
28	86	46.78	1.50			5.4	585	255	1.05	FCA57RC37	YS7124		
32	75	40.89	1.75			6.9	455	201	1.30	FCAF57RC37	YS7124		
34	70	38.33	1.85			7.6	415	181	1.45	FC57RC37	YS7124		
38	62	33.83	2.1			5.3	620	262	0.95	FCA57RC37	YS7124		
44	54	29.56	2.4	FCA27 FCAF27 FC27 FCF27	YS7114	6.1	525	226	1.15	FCAF57RC37	YS7124		
48	50	27.18	2.6			6.9	465	200	1.30	FC67RC37	YS7124		
56	43	23.25	3.0			8.1	395	170	1.50	FCF57RC37	YS7124		
65	37	20.15	3.5			9.1	350	152	1.70				
69	35	18.84	3.8			10	310	134	1.95				
80	30	16.28	4.4			7.9	405	175	1.00	FCA47RC17	YS7124		
94	25	13.84	5.1			9.4	340	147	1.15	FCAF47RC17	YS7124		
105	23	12.35	5.7			11	300	130	1.35	FC47RC317	YS7124		
123	19	10.55	6.7					2.5	1410	270.68	2.1	FCA87	YS8016
132	18	9.88	7.5			2.7	1330	255.37	2.3	FCAF87	YS8016		
138	17	9.40	8.3			3.0	1190	228.93	2.5	FC87	YS8016		
160	15	8.13	9.0			3.5	1020	197.20	2.9	FCF87	YS8016		
188	13	6.91	9.7	3.3	1060	270.68	2.8	FCA87	YS8016				
211	11	6.17	10	3.5	1000	255.37	3.0	FCAF87	YS8016				
247	9.7	5.27	11	3.9	900	228.93	3.3	FC87	YS8016				
264	9.1	4.93	11			4.0	890	225.79	1.70	FCA77	YS8016		
313	7.6	4.16	24			4.5	780	198.31	1.95	FCAF77	YS8016		
						4.8	740	188.40	2.0	FC77	YS8016		
327	7.3	8.13	17			5.4	655	166.47	2.3	FCF77	YS8016		
385	6.2	6.91	18	FCA27	YS6322	6.3	560	142.27	2.7				
431	5.5	6.17	20	FCAF27	YS6322								
505	4.7	5.27	21	FC27	YS6322								
539	4.4	4.93	22	FCF27	YS6322								
640	3.7	4.16	24										

上海梁瑾机电设备有限公司

电话：021-60538280 手机：13916695992 13661935973 QQ:1774474796

邮箱：1774474796@qq.com

网址：www.liangjingb.com www.liangjindy.com www.zik-ljgb.com

地址：上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号
0.37kW						0.55kW					
4.9	720	281.71	2.1	FCA77	YS7124	0.22	20500	6295	0.90	FCA157RC97	YS8014
5.2	675	262.93	2.2	FCAF77	YS7124	0.25	17200	5404	1.05	FCAF157RC97	YS8014
6.1	580	225.79	2.6	FC77	YS7124	0.49	8820	2780	2.0	FC157RC97	YS8014
7.0	510	198.31	3.0	FCF77	YS7124					FCF157RC97	YS8014
4.6	765	195.39	1.05	FCA67	YS8016	0.56	7800	2427	2.3	FCA157RC97	YS8014
5.3	670	170.85	1.20	FCAF67	YS8016	0.81	5530	1674	3.3	FCAF157RC97	YS8014
5.5	635	162.31	1.30	FC67	YS8016	1.0	4270	1308	4.2	FC157RC97	YS8014
6.3	560	142.40	1.45	FCF67	YS8016	1.2	3750	1169	4.8	FCF157RC97	YS8014
7.5	475	120.79	1.75								
6.0	585	228.99	1.40			0.35	13400	3926	0.90	FCA127RC77	YS8014
7.1	500	195.39	1.65	FCA67	YS7124	0.39	11800	3454	1.00	FCAF127RC77	YS8014
8.1	435	170.85	1.85	FCAF67	YS7124	0.45	10300	3031	1.15	FC127RC77	YS8014
8.5	415	162.31	1.95	FC67	YS7124					FCF127RC77	YS8014
9.7	365	142.40	2.3	FCF67	YS7124						
11	310	120.79	2.7								
5.7	615	157.09	0.95	FCA57	YS8016	0.57	8250	2369	0.95		
6.6	535	136.16	1.10	FCAF57	YS8016	0.66	7200	2068	1.05	FCA107RC77	YS8014
7.1	500	127.27	1.20	FC57	YS8016	0.74	6190	1826	1.25	FCAF107RC77	YS8014
8.2	430	110.01	1.40	FCF57	YS8016	0.85	5540	1597	1.40	FC107RC77	YS8014
						0.97	4830	1401	1.60	FCF107RC77	YS8014
6.9	510	199.70	1.15			1.1	4220	1243	1.80		
7.5	470	183.60	1.30	FCA57	YS7124	1.2	3770	1087	2.0		
8.8	400	157.09	1.50	FCAF57	YS7124	1.4	3220	950	2.4		
10	350	136.16	1.70	FC57	YS7124	1.6	2800	834	2.7		
11	325	127.27	1.85	FCF57	YS7124	2.1	2180	640	3.5		
13	280	110.01	2.1								
15	240	93.47	2.5			1.0	4630	1327	0.95	FCA97RC57	YS8014
17	215	83.46	2.8			1.2	4150	1171	1.05	FCAF97RC57	YS8014
						1.3	3630	1022	1.20	FC97RC57	YS8014
9.2	385	150.06	1.05			1.5	3110	898	1.40	FCF97RC57	YS8014
11	335	130.07	1.20	FCA47	YS7124	1.7	2750	784	1.55		
13	270	105.09	1.50	FCAF47	YS7124	2.0	2380	690	1.80		
15	230	89.29	1.75	FC47	YS7124	2.2	2100	605	2.1		
17	205	79.72	1.95	FCF47	YS7124	2.6	1830	529	2.4		
20	174	68.09	2.3			2.9	1610	467	2.7		
21	167	65.36	2.4			3.4	1390	406	3.1		
						3.7	1240	363	3.5		
16	220	86.53	0.90			1.5	3110	887	0.95		
17	205	80.65	0.95			1.7	2720	780	1.10	FCA87RC57	YS8014
20	181	70.50	1.10			2.0	2330	674	1.30	FCAF87RC57	YS8014
21	169	66.09	1.20			2.2	2120	609	1.40	FC87RC57	YS8014
24	149	58.32	1.35			2.6	1790	515	1.70	FCF87RC57	YS8014
25	140	54.54	1.45			3.0	1580	452	1.90		
27	132	51.70	1.50	FCA37	YS7124	3.9	1180	345	2.5		
29	120	47.02	1.65	FCAF37	YS7124						
31	112	43.83	1.80	FC37	YS7124	2.8	1690	480	0.90	FCA77RC37	YS8014
36	98	38.31	2.0	FCF37	YS7124	3.3	1450	413	1.05	FCAF77RC37	YS8014
38	92	35.91	2.2			3.7	1290	367	1.15	FC77RC37	YS8014
44	81	31.69	2.5			4.2	1150	323	1.30	FCF77RC37	YS8014
49	72	28.09	2.8								
58	61	23.88	3.3			5.3	910	257	0.90	FCA67RC37	YS8014
						5.9	810	231	1.00	FCAF67RC37	YS8014
24	145	56.62	0.90			6.6	720	205	1.15	FC67RC37	YS8014
28	129	50.19	1.00	FCA27	YS7124	7.8	615	175	1.35	FCF67RC37	YS8014
30	120	46.78	1.10	FCAF27	YS7124						
34	105	40.89	1.25	FC27	YS7124	3.3	1580	270.68	1.9	FCA87	YS8026
36	98	38.33	1.35	FCF27	YS7124	3.5	1490	255.37	2.0	FCAF87	YS8026
41	87	33.83	1.50			3.9	1340	228.93	2.3	FC87	YS8026
						4.6	1150	197.20	2.6	FCF87	YS8026
						5.0	1050	179.97	2.9		
47	76	29.56	1.70			4.0	1320	225.79	1.15		
51	70	27.18	1.85			4.5	1160	198.31	1.30	FCA77	YS8026
59	60	23.25	2.2			4.8	1100	188.40	1.35	FCAF77	YS8026
68	52	20.15	2.5			5.4	970	166.47	1.55	FC77	YS8026
73	48	18.84	2.7			6.3	830	142.27	1.80	FCF77	YS8026
85	42	16.28	3.1			6.9	760	130.42	1.95		
100	35	13.84	3.7								
112	32	12.35	4.1	FCA27	YS7124	6.0	870	225.79	1.70		
131	27	10.55	4.8	FCAF27	YS7124	6.9	765	198.31	1.95		
140	25	9.88	5.1	FC27	YS7124	7.2	730	188.40	2.1	FCA77	YS8014
147	24	9.40	5.4	FCF27	YS7124	8.2	645	166.47	2.3	FCAF77	YS8014
170	21	8.13	5.9			9.6	550	142.27	2.7	FC77	YS8014
200	18	6.91	6.4			10	505	130.42	3.0	FCF77	YS8014
224	16	6.17	6.9			12	440	114.45	3.4		
262	14	5.27	7.4			13	420	108.46*	3.6		
280	13	4.93	7.6			14	365	94.93	4.1		
332	11	4.16	8.2								

上海梁瑾机电设备有限公司

电话：021-60538280 手机：13916695992 13661935973 QQ:1774474796

邮箱：1774474796@qq.com

网址：www.liangjingb.com www.liangjindy.com www.zik-ljgb.com

地址：上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号								
0.55kW						0.75kW													
7.0	755	195.39	1.10	FCA67 FCAF67 FC67 FCF67	YS8014 YS8014 YS8014 YS8014	0.50	1220	2780	1.45	FCA157RC97 FCAF157RC97 FC157RC97 FCF157RC97	YS8024 YS8024 YS8024 YS8024								
8.0	660	170.85	1.25																
8.4	625	162.31	1.30																
9.6	550	142.40	1.50																
11	465	120.79	1.75																
12	420	109.04	1.95																
14	370	95.94	2.2																
15	350	90.59	2.3	FCA127RC77 FCAF127RC77 FC127RC77 FCF127RC77	YS8024 YS8024 YS8024 YS8024	0.57	10800	2427	1.65	FCA157RC97 FCAF157RC97 FC157RC97 FCF157RC97	YS8024 YS8024 YS8024 YS8024								
17	310	79.76	2.7																
8.7	605	157.09	1.00																
10	525	136.16	1.15																
11	490	127.27	1.20																
12	425	110.01	1.40																
15	360	93.47	1.65																
16	320	83.46	1.85	FCA127RC77 FCAF127RC77 FC127RC77 FCF127RC77	YS8024 YS8024 YS8024 YS8024	0.46	14000	3031	0.85	FCA127RC77 FCAF127RC77 FC127RC77 FCF127RC77	YS8024 YS8024 YS8024 YS8024								
19	280	72.98	2.1																
20	265	68.22	2.3																
23	230	58.97	2.6																
13	405	105.09	1.00																
15	345	89.29	1.15																
17	310	79.72	1.30									FCA47 FCAF47 FC47 FCF47	YS8014 YS8014 YS8014 YS8014	0.76	8470	1826	0.90	FCA107RC77 FCAF107RC77 FC107RC77 FCF107RC77	YS8024 YS8024 YS8024 YS8024
20	265	68.09	1.50																
21	250	65.36	1.60																
24	220	56.49	1.85																
28	185	48.00*	2.2																
32	166	42.86	2.4																
23	225	58.32	0.90	FCA37 FCAF37 FC37 FCF37	YS8014 YS8014 YS8014 YS8014	0.86	7530	1597	1.00	FCA107RC77 FCAF107RC77 FC107RC77 FCF107RC77	YS8024 YS8024 YS8024 YS8024								
25	210	54.54	0.95																
26	200	51.70	1.00																
29	182	47.02	1.10																
31	169	43.83	1.20																
36	148	38.31	1.35																
38	139	35.91	1.45									FCA37 FCAF37 FC37 FCF37	YS8014 YS8014 YS8014 YS8014	1.4	4900	1022	0.90	FCA97RC57 FCAF97RC57 FC97RC57 FCF97RC57	YS8024 YS8024 YS8024 YS8024
43	122	31.69	1.65																
48	109	28.09	1.85																
57	92	23.88	2.2																
58	91	23.63	2.2																
66	79	20.57	2.5																
71	74	19.27	2.9	FCA37 FCAF37 FC37 FCF37	YS8014 YS8014 YS8014 YS8014	2.0	3170	674	0.95	FCA87RC57 FCAF87RC57 FC87RC57 FCF87RC57	YS8024 YS8024 YS8024 YS8024								
80	66	17.03	3.0																
95	55	14.33	3.6																
35	150	77.21	0.85									FCA27 FCAF27 FC27 FCF27	YS7122 YS7122 YS7122 YS7122	3.8	1750	367	0.85	FCA77RC37 FCAF77RC37 FC77RC37 FCF77RC37	YS8024 YS8024 YS8024 YS8024
37	141	72.37	0.90																
42	124	63.86	1.05																
48	110	56.62	1.20																
54	98	50.19	1.35																
58	90	23.25	1.45																
67	78	20.15	1.65	FCA27 FCAF27 FC27 FCF27	YS8014 YS8014 YS8014 YS8014	3.2	2200	276.77	1.95	FCA97 FCAF97 FC97 FCF97	YS90S6 YS90S6 YS90S6 YS90S6								
72	73	18.84	1.80																
84	63	16.28	2.1																
98	53	13.84	2.4																
110	48	12.35	2.7																
129	41	10.55	3.2																
138	38	9.88	3.4									FCA87 FCAF87 FC87 FCF87	YS90S6 YS90S6 YS90S6 YS90S6	3.3	2150	270.68	1.40	FCA87 FCAF87 FC87 FCF87	YS90S6 YS90S6 YS90S6 YS90S6
145	36	9.40	3.6																
167	31	8.13	3.9																
197	27	6.91	4.3																
221	24	6.17	4.6																
258	20	5.27	4.9																
276	19	4.93	5.0	FCA87 FCAF87 FC87 FCF87	YS8024 YS8024 YS8024 YS8024	5.1	1400	270.68	2.1	FCA87 FCAF87 FC87 FCF87	YS8024 YS8024 YS8024 YS8024								
327	16	4.16	5.4																
332	16	8.13	7.8																
391	13	6.91	8.5									FCA27 FCAF27 FC27 FCF27	YS7122 YS7122 YS7122 YS7122	4.5	1580	198.31	0.95	FCA77 FCAF77 FC77 FCF77	YS90S6 YS90S6 YS90S6 YS90S6
438	12	6.17	9.1																
513	10	5.27	9.8																
547	9.6	4.93	10																
650	8.1	4.16	11																
4.8	1500	188.40	1.00																
5.4	1320	166.47	1.15																
6.3	1130	142.27	1.30																
6.9	1040	130.42	1.45																

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号
0.75kW						0.75kW					
6.1	1170	225.79	1.30	FCA77	YS8024	332	22	8.13	5.7		
7.0	1030	198.31	1.45	FCAF77	YS8024	391	18	6.19	6.2	FCA27	YS8012
7.3	980	188.40	1.55	FC77	YS8024	438	16	6.17	6.7	FCAF27	YS8012
				FCF77	YS8024	513	14	5.27	7.1	Fc27	YS8012
						547	13	4.93	7.3	FCF27	YS8012
						650	11	4.16	7.9		
8.3	860	166.47	1.75	FCA77	YS8024						
9.7	740	142.27	2.0	FCAF77	YS8024						
11	675	130.42	2.2	FC77	YS8024						
12	595	114.45	2.5	FCF77	YS8024						
13	565	108.46*	2.7								
8.1	890	170.85	0.90	FCA67	YS8024						
8.5	840	162.31	0.95	FCAF67	YS8024						
9.7	740	142.40	1.10	FC67	YS8024						
11	625	120.79	1.30	FCF67	YS8024						
13	565	109.04	1.45	FCA67	YS8024						
14	500	95.94	1.65	FCAF67	YS8024						
15	470	90.59	1.75	FC67	YS8024						
17	415	79.76	2.0	FCF67	YS8024						
20	350	67.65	2.3								
23	315	61.07	2.6								
11	660	127.27	0.90	FCA57	YS8024						
13	570	110.01	1.05	FCAF57	YS8024						
15	485	93.47	1.25	FC57	YS8024						
17	435	83.46	1.40	FCF57	YS8024						
19	380	72.98	1.60								
20	355	68.22	1.70								
23	305	58.97	1.95								
28	260	50.10	2.3								
31	230	44.73	2.6								
17	415	79.72	0.95	FCA47	YS8024						
20	355	68.09	1.15	FCAF47	YS8024						
21	340	65.36	1.20	FC47	YS8024						
				FCF47	YS8024						
24	295	56.49	1.35	FCA47	YS8024						
29	250	48.00*	1.60	FCAF47	YS8024						
32	220	42.86	1.80	FC47	YS8024						
38	190	36.61	2.1	FCF47	YS8024						
40	178	34.29	2.3								
48	150	28.88	2.7								
29	245	47.02	0.80	FCA37	YS8024						
31	230	43.83	0.90	FCAF37	YS8024						
36	199	38.31	1.00	FC37	YS8024						
38	186	35.91	1.05	FCF37	YS8024						
44	165	31.69	1.20								
49	146	28.09	1.35								
58	123	23.63	1.65	FCA37	YS8024						
67	107	20.57	1.85	FCAF37	YS8024						
72	100	19.27	2.0	FC37	YS8024						
81	88	17.03	2.3	FCF37	YS8024						
96	74	14.33	2.7								
107	67	12.87	3.0								
59	121	23.25	1.10	FCA27	YS8024						
68	105	20.15	1.25	FCAF27	YS8024						
73	98	18.84	1.35	FC27	YS8024						
85	85	16.28	1.55	FCF27	YS8024						
100	72	13.84	1.80								
112	64	12.35	2.0								
131	55	10.55	2.4								
140	51	9.88	2.5								
147	49	9.40	2.7								
170	42	8.13	2.9								
200	36	6.91	3.2								
224	32	6.17	3.4								
262	27	5.27	3.7								
280	26	4.93	3.8								
332	22	4.16	4.0								
0.50	18200	2780	1.00	FCA157RC97	Y90S4						
				FCAF157RC97	Y90S4						
				FC157RC97	Y90S4						
				FCF157RC97	Y90S4						
0.58	16100	2427	1.10	FCA157RC97	Y90S4						
0.64	14400	2185	1.25	FCAF157RC97	Y90S4						
0.72	12800	1944	1.40	FC157RC97	Y90S4						
0.84	11300	1674	1.60	FCF157RC97	Y90S4						
1.1	8750	1308	2.1								
1.2	7750	1169	2.3								
1.5	6200	953	2.9								
1.7	5420	845	3.3								
3.1	2870	446	6.3								
4.6	1940	302	9.3								
0.69	14000	2038	0.85	FCA127RC77	Y90S4						
0.79	12200	1784	1.00	FCAF127RC77	Y90S4						
0.87	11000	1606	1.10	FC127RC77	Y90S4						
1.0	9480	1390	1.25	FCF127RC77	Y90S4						
1.2	8280	1220	1.45								
1.3	7360	1077	1.65								
1.1	8480	1243	0.90	FCA107RC77	Y90S4						
1.3	7490	1087	1.00	FCAF107RC77	Y90S4						
1.5	6480	950	1.20	FC107RC77	Y90S4						
1.7	5660	834	1.35	FCF107RC77	Y90S4						
1.9	4970	736	1.55								
2.2	4380	640	1.75								
2.0	4750	690	0.90	FCA97RC57	Y90S4						
2.3	4170	605	1.05	FCAF97RC57	Y90S4						
2.6	3640	529	1.20	FC97RC57	Y90S4						
3.0	3210	467	1.35	FCF97RC57	Y90S4						
3.5	2770	406	1.55								
3.9	2490	363	1.75								
3.1	3130	452	0.95	FCA87RC57	Y90S4						
4.1	2360	345	1.25	FCAF87RC57	Y90S4						
4.7	2050	300	1.45	FC87RC57	Y90S4						
5.6	1700	249	1.75	FCF87RC57	Y90S4						
3.3	3160	276.77	1.35	FCA97	Y90L6						
3.6	2890	253.41	1.50	FCAF97	Y90L6						
4.1	2560	223.88	1.70	FC97	Y90L6						
4.8	2170	189.92	2.0	FCF97	Y90L6						
5.3	2000	174.87	2.2								
5.1	2080	276.77	2.1	FCA97	Y90S4						
5.5	1900	253.41	2.3	FCAF97	Y90S4						
6.2	1680	223.88	2.6	FC97	Y90S4						
				FCF97	Y90S4						
3.4	3090	270.68	0.95	FCA87	Y90L6						
3.6	2920	255.37	1.05	FCAF87	Y90L6						
4.0	2610	228.93	1.15	FC87	Y90L6						
4.7	2250	197.20	1.35	FCF87	Y90L6						
5.1	2050	179.97	1.45								
5.8	1820	159.61	1.65								
5.2	2030	270.68	1.50	FCA87	Y90S4						
5.5	1920	255.37	1.55	FCAF87	Y90S4						
6.1	1720	228.93	1.75	FC87	Y90S4						
7.1	1480	197.20	2.0	FCF87	Y90S4						

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号
1.5kW						1.5kW					
5.1	2810	276.77	1.55	FCA97	Y90L4	69	210	20.57	0.95	FCA37 FCAF37 FC37 FCF37	Y90L4 YS90L4 YS90L4 YS90L4
5.6	2570	253.41	1.65	FCAF97	Y90L4	73	196	19.27	1.00		
6.3	2270	223.88	1.90	FC97	Y90L4	83	173	17.03	1.15		
7.4	1930	189.92	2.2	FCF97	Y90L4	98	148	14.33	1.35		
8.1	1780	174.87	2.4			110	131	12.87	1.55		
5.2	2750	270.68	1.10	FCA87	Y90L4	127	113	11.08	1.70		
5.5	2590	255.37	1.15	FCAF87	Y90L4	135	106	10.42	1.75		
6.2	2330	228.93	1.30	FC87	Y90L4	157	91	8.97	1.90		
7.2	2000	197.20	1.50	FCF87	Y90L4	176	81	8.01	2.1		
7.8	1830	179.97	1.65	FCA87	Y90L4	102	141	13.84	0.90		
8.8	1620	159.61	1.85	FCAF87	Y90L4	114	126	12.35	1.05		
11	1360	134.16	2.2	FC87	Y90L4	134	107	10.55	1.20		
13	1110	109.49	2.7	FCF87	Y90L4	143	100	9.88	1.30		
14	990	97.89	3.0			150	96	9.40	1.35		
8.5	1690	166.47	0.90	FCA77	Y90L4	173	83	8.13	1.50		
9.9	1450	142.27	1.05	FCAF77	Y90L4	204	70	6.91	1.60		
11	1320	130.42	1.15	FC77	Y90L4	229	63	6.17	1.75		
12	1160	114.45	1.30	FCF77	Y90L4	268	54	5.27	1.85		
13	1100	109.46*	1.35	FCA77	Y90L4	286	50	4.93	1.90		
15	960	94.93	1.55	FCAF77	Y90L4	339	42	4.16	2.1		
16	870	85.52	1.75	FC77	Y90L4	332	43	8.13	2.9		
19	760	75.02	1.95	FCF77	Y90L4	391	37	6.91	3.1		
19	735	72.50	2.0			438	33	6.17	3.3		
21	675	66.46	2.2	FCA77	Y90L4	513	28	5.27	3.6		
24	595	58.32	2.5	FCAF77	Y90L4	547	26	4.93	3.7		
26	560	55.27	2.7	FC77	Y90L4	650	22	4.16	4.0		
29	490	48.37	3.1	FCF77	Y90L4	2.2kW					
32	445	43.58	3.4			0.98	18700	1441	0.95	FCA157RC97	Y100L1-4
37	390	38.23	3.9							FCAF157RC97	Y100L1-4
39	370	36.58	3.0	FCA77	Y90L4					FC157RC97	Y100L1-4
45	320	31.51	4.3	FCAF77	Y90L4					FCF157RC97	Y100L1-4
16	920	90.59	0.90	FCA77	Y90L4	1.1	17900	1308	1.00	FCA157RC97	Y100L1-4
18	810	79.76	1.00	FCAF77	Y90L4	1.2	15900	1169	1.15	FCAF157RC97	Y100L1-4
21	685	67.65	1.20	FC77	Y90L4	1.5	12800	953	1.40	FC157RC97	Y100L1-4
23	620	61.07	1.30	FCF77	Y90L4	1.7	11300	845	1.60	FCF157RC97	Y100L1-4
26	545	53.73	1.50	FCA67	Y90L4	1.9	10200	764	1.75		
28	515	50.74	1.60	FCAF67	Y90L4	2.1	9040	680	2.0		
33	440	43.20	1.85	FC67	Y90L4	2.5	7580	576	2.4		
36	400	39.26	1.95	FCF67	Y90L4	3.2	5970	446	3.0		
39	370	36.30	2.2			4.7	4040	302	4.5		
44	325	32.08	2.5	FCA67	Y90L4	5.2	3630	273	5.0		
51	280	27.41	2.9	FCAF67	Y90L4	6.1	3050	232	5.9		
56	255	25.13	3.2	FC67	Y90L4	7.2	2590	197	7.0		
24	600	58.97	1.00	FCF67	Y90L4	1.3	14900	1077	0.80	FCA127RC77	Y100L1-4
28	510	50.10	1.20	FCA57	Y90L4	1.5	12800	930	0.95	FCAF127RC77	Y100L1-4
32	455	44.73	1.30	FCAF57	Y90L4	1.7	11300	820	1.05	FC127RC77	Y100L1-4
37	390	38.21	1.55	FC57	Y90L4	1.9	9960	727	1.20	FCF127RC77	Y100L1-4
39	365	35.79	1.65	FCF57	Y90L4	2.2	8940	648	1.35		
47	305	30.15	1.95			2.6	7580	549	1.60		
33	435	42.86	0.90	FCA47	Y90L4	2.9	6820	495	1.75		
39	370	36.61	1.10	FCAF47	Y90L4	3.3	5900	428	2.0		
41	350	34.29	1.15	FC47	Y90L4	2.2	8830	640	0.85	FCA107RC77	Y100L1-4
49	295	28.88	1.35	FCF47	Y90L4	2.5	7670	560	1.00	FCAF107RC77	Y100L1-4
46	315	30.86	1.30			2.9	6700	489	1.15	FC107RC77	Y100L1-4
48	300	29.32	1.35	FCA47	Y90L4	3.2	6010	436	1.30	FCF107RC77	Y100L1-4
55	260	25.72	1.55	FCAF47	Y90L4	3.8	5100	370	1.50		
65	220	21.82	1.80	FC47	Y90L4	4.2	4590	333	1.65		
72	200	19.70	2.0	FCF47	Y90L4	4.9	3950	285	1.10	FCA97RC57	Y100L1-4
81	176	17.33	2.3			5.8	3390	245	1.25	FCAF97RC57	Y100L1-4
86	166	16.36	2.4							FC97RC57	Y100L1-4
101	142	13.93	2.8							FCF97RC57	Y100L1-4
46	315	30.86	1.30	FCA107	Y132S8	2.8	7640	254.40*	1.00	FCA107	Y132S8
48	300	29.32	1.35	FCAF107	Y132S8	3.2	6460	215.37	1.20	FCAF107	Y132S8
55	260	25.72	1.55	FC107	Y132S8	3.5	5980	199.31	1.30	FC107	Y132S8
65	220	21.82	1.80	FCF107	Y132S8	3.9	5360	178.64	1.45	FCF107	Y132S8
72	200	19.70	2.0			3.7	5690	254.40*	1.35	FCA107	Y112M6
81	176	17.33	2.3			4.4	4810	215.37	1.60	FCAF107	Y112M6
86	166	16.36	2.4			4.7	4450	199.31	1.70	FC107	Y112M6
101	142	13.93	2.8			5.3	3990	178.64	1.90	FCF107	Y112M6

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号		
2.2kW						2.2kW							
5.5	3790	254.40*	2.0	FCA107	Y100L1-4	55	385	25.72	1.05	FCA47 FCAF47 FC47 FCF47	Y100L1-4 Y100L1-4 Y100L1-4 Y100L1-4		
6.5	3210	215.37	2.4	FCAF107	Y100L1-4	65	325	21.82	1.25				
7.1	2970	199.31	2.6	FC107	Y100L1-4	72	295	19.70	1.35				
7.9	2660	178.64	2.9	FCF107	Y100L1-4	81	260	17.33	1.55				
						86	245	16.36	1.65				
						101	210	13.93	1.98				
4.2	5000	223.88	0.85	FCA97	Y112M6	111	189	12.66	2.1	FCA37 FCAF37 FC37 FCF37	Y100L1-4 Y100L1-4 Y100L1-4 Y100L1-4		
5.0	4240	189.92	1.00	FCAF97	Y112M6	129	163	10.97	2.5				
5.4	3910	174.87	1.10	FC97	Y112M6	157	133	8.96	2.5				
6.0	3490	156.30	1.25	FCF97	Y112M6								
						98	215	14.33	0.95				
						110	192	12.87	1.05				
5.1	4120	276.77	1.05	FCA97 FCAF97 FC97 FCF97	Y100L1-4 Y100L1-4 Y100L1-4 Y100L1-4	127	165	11.08	1.15				
5.6	3780	253.41	1.15			135	155	10.42	1.20				
6.3	3340	223.88	1.30			157	134	8.97	1.30				
7.4	2830	189.92	1.50			176	119	8.01	1.40				
8.1	2610	174.87	1.65			209	100	6.74	1.40				
9.0	2330	156.30	1.85			233	90	6.05	1.50				
10	2100	140.71	2.1	271	78	5.21	1.60						
11	1900	127.42	2.3	288	73	4.90	1.65						
7.2	2940	197.20	1.00	FCA87	Y100L1-4	334	63	4.22	1.75				
7.8	2680	179.97	1.10	FCAF87	Y100L1-4	374	56	3.77	1.85				
8.8	2380	159.61	1.25	FC87	Y100L1-4								
11	2000	134.16	1.50	FCF87	Y100L1-4								
11	1840	123.29	1.65	FCA87 FCAF87 FC87 FCF87	Y100L1-4 Y100L1-4 Y100L1-4 Y100L1-4	139	151	20.15	0.85				
13	1630	109.49	1.85			149	141	18.84	0.90				
14	1460	97.89	2.1			173	122	16.28	1.05				
16	1310	88.01	2.3			203	103	13.84	1.25				
18	1140	76.39	2.6			227	92	12.35	1.40				
21	1020	68.40	2.9			266	79	10.55	1.65				
25	850	56.75	3.6			284	74	9.88	1.75				
28	750	50.36	3.9			299	70	9.40	1.85				
31	675	45.28	4.2			346	61	8.13	2.0				
						407	52	6.91	2.2				
12	1710	114.45	0.90	FCA77	Y100L1-4	456	46	6.17	2.4				
13	1620	108.46*	0.95	FCAF77	Y100L1-4	533	39	5.27	2.5				
15	1410	94.93	1.05	FC77	Y100L1-4	570	37	4.93	2.6				
16	1270	85.52	1.20	FCF77	Y100L1-4	676	31	4.16	2.8				
19	1120	75.02	1.35	FCA77 FCAF77 FC77 FCF77	Y100L1-4 Y100L1-4 Y100L1-4 Y100L1-4	3.0kW							
21	990	66.46	1.50			1.2	22000	1169	0.80	FCA157RC97 FCAF157RC97 FC157RC97 FCF157RC97	Y100L2-4 Y100L2-4 Y100L2-4 Y100L2-4		
24	870	58.32	1.75			1.5	17800	953	1.00				
26	820	55.27	1.80			1.7	15700	845	1.15				
29	720	48.37	2.1			1.8	14200	764	1.25				
32	650	43.58	2.3			2.1	12600	680	1.45				
						2.4	10600	576	1.70				
39	545	36.58	2.0	3.1	8310	446	2.2						
45	470	31.51	2.9	4.6	5630	302	3.2						
49	430	28.75	3.3	5.1	5070	273	3.6						
55	380	25.50*	4.0	6.0	4260	232	4.2						
				7.1	3620	197	5.0						
23	910	61.07	0.90	FCA67 FCAF67 FC67 FCF67	Y100L1-4 Y100L1-4 Y100L1-4 Y100L1-4	1.9	13800	727	0.85			FCA127RC77	Y100L2-4
26	800	53.73	1.00			2.2	12300	648	0.95			FCAF127RC77	Y100L2-4
28	755	50.74	1.10			2.6	10500	549	1.15			FC127RC77	Y100L2-4
33	645	43.20	1.25			2.8	9410	495	1.30	FCF127RC77	Y100L2-4		
36	585	39.26	1.35										
41	505	34.01	1.45										
44	480	32.08	1.70	FCA67 FCAF67 FC67 FCF67	Y100L1-4 Y100L1-4 Y100L1-4 Y100L1-4	3.2	8300	436	0.95	FCA107RC77	Y100L2-4		
51	410	27.41	2.0			3.8	7040	370	1.10	FCAF107RC77	Y100L2-4		
56	375	25.13	2.2			4.2	6340	333	1.20	FC107RC77	Y100L2-4		
64	330	22.05	2.5			4.8	5540	291	1.40	FCF107RC77	Y100L2-4		
67	310	20.90*	2.6										
77	275	18.29	3.0										
32	665	44.73	0.90	FCA57 FCAF57 FC57 FCF57	Y100L1-4 Y100L1-4 Y100L1-4 Y100L1-4	3.7	7750	254.40*	1.00	FCA107	Y132S6		
37	570	38.21	1.05			4.4	6560	215.37	1.15	FCAF107	Y132S6		
39	535	35.79	1.15			4.7	6070	199.31	1.25	FC107	Y132S6		
47	450	30.15	1.30			5.3	5440	178.64	1.40	FCF107	Y132S6		
56	370	24.96	1.55	FCA57 FCAF57 FC57 FCF57	Y100L1-4 Y100L1-4 Y100L1-4 Y100L1-4	5.5	5210	254.40*	1.50	FCA107 FCAF107 FC107 FCF107	Y100L2-4 Y100L2-4 Y100L2-4 Y100L2-4		
67	315	21.17	1.90			6.5	4410	215.37	1.75				
74	285	19.11	2.1			7.0	4080	199.31	1.90				
84	250	16.81	2.4			7.8	3660	178.64	2.1				
89	235	15.88	2.5			8.7	3300	161.28*	2.3				
						6.2	4580	223.88	0.95			FCA97	Y100L2-4
				7.4	3890	189.92	1.10	FCAF97	Y100L2-4				
				8.0	3580	174.87	1.20	FC97	Y100L2-4				
								FCF97	Y100L2-4				

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号
3.0kW						4.0kW					
9.0	3200	156.30	1.35			1.7	20800	845	0.85		
10	2880	140.71	1.50	FCA97	Y100L2-4	1.9	18800	764	0.95		
11	2610	127.42	1.65	FCAF97	Y100L2-4	2.1	16700	680	1.10	FCA157RC97	Y112M4
12	2310	112.99	1.85	FC97	Y100L2-4	2.5	14100	576	1.30	FCAF157RC97	Y112M4
14	2090	102.16	2.1	FCF97	Y100L2-4	3.2	11000	446	1.65	FC157RC97	Y112M4
16	1840	89.85	2.3			4.7	7460	302	2.4	FCF157RC97	Y112M4
						5.2	6720	273	2.7		
10	2750	134.16	1.10	FCA87	Y100L2-4	6.1	5660	232	3.2		
11	2520	123.29	1.20	FCAF87	Y100L2-4	7.2	4800	197	3.8		
13	2240	109.49	1.35	FC87	Y100L2-4						
				FCF87	Y100L2-4						
14	2000	97.89	1.50			2.6	13800	549	0.85	FCA127RC77	Y112M4
16	1800	88.01	1.65	FCA87	Y100L2-4	2.9	12400	495	0.95	FCAF127RC77	Y112M4
18	1560	76.39	1.90	FCAF87	Y100L2-4	3.3	10700	428	1.10	FC127RC77	Y112M4
20	1400	68.40	2.1	FC87	Y100L2-4	3.8	9410	376	1.30	FCF127RC77	Y112M4
25	1160	56.76	2.6	FCF87	Y100L2-4						
28	1030	50.36	2.9			4.3	8350	333	0.90	FCA107RC77	Y112M4
						4.9	7300	291	1.05	FCAF107RC77	Y112M4
16	1750	85.52	0.85	FCA77	Y100L2-4	5.6	6400	255	1.20	FC107RC77	Y112M4
19	1540	75.02	1.00	FCAF77	Y100L2-4						
21	1360	66.46	1.10	FC77	Y100L2-4	4.2	9060	170.83	1.30	FCA127	Y160M1-8
				FCF77	Y100L2-4	4.7	8150	153.67*	1.45	FCAF127	Y160M1-8
24	1190	58.32	1.25			5.7	6650	125.37	1.80	FC127	Y160M1-8
25	1130	55.27	1.35	FCA77	Y100L2-4					FCF127	Y160M1-8
29	990	48.37	1.50	FCAF77	Y100L2-4						
32	890	43.58	1.70	FC77	Y100L2-4						
37	780	38.23	1.90	FCF77	Y100L2-4						
38	750	36.58	1.50			5.6	6840	254.40*	1.10		
44	645	31.51	2.1	FCA77	Y100L2-4	6.6	5790	215.37	1.35		
49	590	28.75	2.4	FCAF77	Y100L2-4	7.1	5360	199.31	1.45	FCA107	Y112M4
55	520	25.50*	2.9	FC77	Y100L2-4	8.0	4810	178.64	1.60	FCAF107	Y112M4
65	440	21.43	3.4	FCF77	Y100L2-4	8.8	4340	161.28*	1.75	FC107	Y112M4
						9.7	3940	146.49	1.95	FCF107	Y112M4
32	880	43.20	0.95			11	3500	129.97	2.2		
36	800	39.26	0.95	FCA67	Y100L2-4	12	3170	117.94	2.4		
41	695	34.01	1.05	FCAF67	Y100L2-4	14	2730	101.38*	2.8		
				FC67	Y100L2-4						
				FCF67	Y100L2-4	8.1	4700	174.87	0.90	FCA97	Y112M4
44	655	32.08	1.25			9.1	4200	156.30	1.00	FCAF97	Y112M4
51	560	27.41	1.45			10	3780	140.71	1.15	FC97	Y112M4
56	515	25.13	1.60	FCA67	Y100L2-4	11	3430	127.42	1.25	FCF97	Y112M4
63	450	22.05	1.80	FCAF67	Y100L2-4						
67	430	20.90*	1.90	FC67	Y100L2-4	13	3040	112.99	1.40		
77	375	18.29	2.2	FCF67	Y100L2-4	14	2750	102.16	1.55	FCA97	Y112M4
85	335	16.48	2.4			15	2620	97.58	1.65	FCAF97	Y112M4
97	295	14.46	2.8			16	2420	89.85	1.80	FC97	Y112M4
						18	2160	80.31	2.0	FCF97	Y112M4
56	510	24.96	1.15			20	1940	72.29	2.2		
66	435	21.17	1.40	FCA57	Y100L2-4	22	1760	65.47	2.4		
73	390	19.11	1.55	FCAF57	Y100L2-4						
83	345	16.81	1.75	FC57	Y100L2-4	13	2950	109.49	1.00	FCA87	Y112M4
88	325	15.88	1.85	FCF57	Y100L2-4	15	2630	97.89	1.15	FCAF87	Y112M4
104	275	13.52	2.2			16	2370	88.01	1.25	FC87	Y112M4
114	250	12.29	2.4								
132	220	10.64	2.8			19	2050	76.39	1.45	FCA87	Y112M4
						21	1840	68.40	1.65	FCAF87	Y112M4
71	405	19.70	1.00			25	1530	56.75	1.95	FC87	Y112M4
81	355	17.33	1.15	FCA47	Y100L2-4	28	1350	50.36	2.2	FCF87	Y112M4
86	335	16.36	1.20	FCAF47	Y100L2-4	31	1220	45.28	2.3		
100	285	13.93	1.40	FC47	Y100L2-4						
111	260	12.66	1.55	FCF47	Y100L2-4	21	1790	66.46	0.85	FCA77	Y112M4
128	225	10.97	1.80			24	1570	58.32	0.95	FCAF77	Y112M4
156	183	8.96	1.80			26	1490	55.27	1.00	FC77	Y112M4
						29	1300	48.37	1.15	FCF77	Y112M4
126	225	11.08	0.85								
134	215	10.42	0.85			33	1170	43.58	1.30	FCA77	Y112M4
156	184	8.97	0.95	FCA37	Y100L2-4	37	1030	38.23	1.45	FCAF77	Y112M4
175	164	8.01	1.05	FCAF37	Y100L2-4	42	910	33.74	1.65	FC77	Y112M4
208	138	6.74	1.00	FC37	Y100L2-4	47	800	29.91	1.85	FCF77	Y112M4
231	124	6.05	1.10	FCF37	Y100L2-4	56	685	25.54	2.1		
269	107	5.21	1.15								
286	100	4.90	1.20			45	850	31.51	1.65	FCA77	Y112M4
332	86	4.22	1.25			49	775	28.75	1.85	FCAF77	Y112M4
372	77	3.77	1.35			56	685	25.50*	2.2	FC77	Y112M4
						66	575	21.43	2.6	FCF77	Y112M4
						72	530	19.70	2.8		

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号
4.0kW						5.5kW					
52	735	27.41	1.10	FCA67 FCAF67 FC67 FCF67	Y112M4 Y112M4 Y112M4 Y112M4	6.6	7910	215.37	0.95	FCA107	Y132S4
57	675	25.13	1.20			7.2	7320	199.31	1.05	FCAF107	Y132S4
64	595	22.05	1.40			8.0	6560	178.64	1.15	FC107	Y132S4
68	560	20.90*	1.45			8.9	5920	161.28*	1.30	FCF107	Y132S4
78	490	18.29	1.65			9.8	5380	146.49	1.45	FCA107 FCAF107 FC107 FCF107	Y132S4 Y132S4 Y132S4 Y132S4
86	445	16.48	1.85			11	4770	129.97	1.60		
98	390	14.46	2.1			12	4330	117.94	1.75		
111	345	12.76	2.4			14	3720	101.38*	2.1		
126	305	11.31	2.7			15	3400	92.47*	2.3		
147	260	9.66	3.2			16	3250	88.49	2.4		
156	245	9.08	2.2			17	3080	83.99	2.5	FCA97 FCAF97 FC97 FCF97	Y132S4 Y132S4 Y132S4 Y132S4
165	230	8.60	2.5			11	4680	127.42	0.90		
189	205	7.53	3.0			13	4150	112.99	1.05		
209	183	6.78	3.4			14	3750	102.16	1.15	FCA97 FCAF97 FC97 FCF97	Y132S4 Y132S4 Y132S4 Y132S4
239	160	5.95	3.8	15	3580	97.58	1.20				
270	141	5.25	4.2	16	3300	89.85	1.30				
305	125	4.66	4.5	17	3180	86.59	1.35				
357	107	3.97	4.7	18	2950	80.31	1.45				
67	570	21.17	1.05	19	2780	75.63	1.55	FCA97 FCAF97 FC97 FCF97	Y132S4 Y132S4 Y132S4 Y132S4		
74	515	19.11	1.15	20	2660	72.29	1.60				
84	450	16.81	1.35	22	2400	65.47	1.80				
89	425	15.88	1.40	25	2130	58.06	2.0				
105	365	13.52	1.65	27	1930	52.49	2.2				
116	330	12.29	1.80	16	3230	88.01	0.95			FCA87 FCAF87 FC87 FCF87	Y132S4 Y132S4 Y132S4 Y132S4
133	285	10.64	2.1	19	2810	76.39	1.05				
153	250	9.31	1.70	21	2510	68.40	1.20				
173	220	8.19	1.90	25	2080	56.75	1.45				
184	210	7.73	2.0	28	1850	50.36	1.60			FCA87 FCAF87 FC87 FCF87	Y132S4 Y132S4 Y132S4 Y132S4
216	177	6.58	2.4	32	1660	45.28	1.70				
237	161	5.98	2.6	36	1440	39.30	1.90				
274	139	5.18	3.0	41	1290	35.19	2.0				
				49	1070	29.20	2.3				
5.5kW						5.5kW					
2.5	19400	576	0.95	FCA157RC97 FCAF157RC97 FC157RC97 FCF157RC97	Y132S4 Y132S4 Y132S4 Y132S4	42	1250	33.92	2.1	FCA87	Y132S4
2.8	16900	503	1.05			50	1060	28.78	2.3	FCAF87	Y132S4
3.2	15100	446	1.20			54	970	26.50	3.1	FC87	Y132S4
4.1	11800	353	1.50			60	870	23.68	3.5	FCF87	Y132S4
4.7	10300	302	1.75			30	1780	48.37	0.85	FCA77 FCAF77 FC77 FCF77	Y132S4 Y132S4 Y132S4 Y132S4
5.2	9250	273	1.95			33	1600	43.58	0.95		
6.2	7810	232	2.3			37	1400	38.23	1.05		
7.1	6790	202	2.7			42	1240	33.74	1.20		
7.3	6620	197	2.7			48	1100	39.91	1.35		
3.4	14200	418	0.85			56	940	25.54	1.55		
3.8	12700	374	0.95	56	940	25.50*	1.60				
4.6	10600	312	1.15	67	785	21.43	1.90				
4.9	9950	293	1.20	73	725	19.70	2.1				
5.5	8780	259	1.35	82	645	17.49	2.3				
6.4	7580	223	1.60	91	575	15.64*	2.6				
3.3	14700	428	0.80	102	515	14.06	2.9	FCA67 FCAF67 FC67 FCF67	Y132S4 Y132S4 Y132S4 Y132S4		
3.8	12900	376	0.95	117	450	12.20	3.4				
2.6	19800	267.43	0.90	65	810	22.05	1.00				
3.3	16100	217.82*	1.10	68	770	20.90*	1.05				
4.0	13200	178.20*	1.35	78	670	18.29	1.20				
4.4	12100	162.96	1.50	87	605	16.48	1.35				
5.0	10500	141.80*	1.70	99	530	14.46	1.55	FCA67 FCAF67 FC67 FCF67	Y132S4 Y132S4 Y132S4 Y132S4		
5.7	9260	125.14	1.95	112	470	12.76	1.75				
6.5	8030	108.49	2.2	126	415	11.31	1.95				
7.4	7140	96.53*	2.5	148	355	9.66	2.3				
8.3	6350	85.80*	2.8	158	335	9.08	1.60				
9.1	5800	78.46	3.1	166	315	8.60	1.80				
10	5050	68.28*	3.6	190	275	7.53	2.2				
4.2	12600	170.83	0.95	211	250	6.78	2.5				
4.6	11400	153.67*	1.05	240	220	5.95	2.8				
5.7	9270	125.37	1.30	272	193	5.25	3.1				
6.2	8460	114.34	1.40	307	171	4.68	3.3				
				360	146	3.97	3.4				

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号
5.5kW						7.5kW					
85	620	16.81	0.95	FCA57 FCAF57 FC57 FCF57	Y132S4 Y132S4 Y132S4 Y132S4	15	4890	97.58	0.90	FCA97 FCAF97 FC97 FCF97	Y132M4 Y132M4 Y132M4 Y132M4
90	585	15.88	1.05			16	4500	89.85	0.95		
106	495	13.52	1.20			17	4340	86.59	1.00		
116	450	12.29	1.35			18	4020	80.31	1.05		
134	390	10.64	1.55			19	3790	75.63	1.15	FCA97 FCAF97 FC97 FCF97	Y132M4 Y132M4 Y132M4 Y132M4
175	300	8.19	1.40			20	3620	72.29	1.20		
185	285	7.73	1.50			20	3280	65.47	1.30		
217	240	6.58	1.75			25	2910	58.06	1.50		
239	220	5.98	1.90	27	2630	52.49	1.65	FCA97 FCAF97 FC97 FCF97	Y132M4 Y132M4 Y132M4 Y132M4		
276	190	5.18	2.2	32	2230	44.49	1.95				
				37	1950	38.86	2.2				
				44	1630	32.50	2.6				
7.5kW						7.5kW					
4.6	14500	312	0.85	FCA127RC87 FCAF127RC87 FC127RC87 FCF127RC87	Y132M4 Y132M4 Y132M4 Y132M4	33	2170	43.28	1.40	FCA97 FCAF97 FC97 FCF97	Y132M4 Y132M4 Y132M4 Y132M4
4.9	13600	293	0.90			39	1840	36.64	1.65		
5.5	12000	259	1.00			42	1700	33.91	2.5		
6.4	10400	223	1.15			47	1520	30.39	2.8		
7.2	9190	198	1.30								
3.3	21600	217.62*	0.85	FCA157 FCAF157 FC157 FCF157	Y160L8 Y160L8 Y160L8 Y160L8	25	2840	56.75	1.05	FCA87 FCAF87 FC87 FCF87	Y132M4 Y132M4 Y132M4 Y132M4
4.0	17700	178.20*	1.00			28	2520	50.36	1.15		
4.4	16200	162.96	1.10			32	2270	45.28	1.25		
5.1	14100	141.80*	1.30			36	1970	39.30	1.40		
5.8	12400	125.14	1.45			41	1760	35.19	1.50		
6.6	10800	108.49	1.65			49	1460	29.20	1.70		
7.5	9600	96.53*	1.85								
8.4	8530	85.80*	2.1			50	1440	28.78	1.70	FCA87 FCAF87 FC87 FCF87	Y132M4 Y132M4 Y132M4 Y132M4
9.2	7810	78.46	2.3			54	1330	26.50	2.3		
11	6790	68.28*	2.7			60	1190	23.68	2.5		
12	5990	60.25	3.0			67	1070	21.32*	2.8		
14	5200	52.24	3.5			74	970	19.31	3.1		
15	4620	46.48*	3.9			84	860	17.12	3.5		
18	3980	40.06	4.5			92	775	15.48	3.9		
3.6	20000	267.43	0.90	FCA157 FCAF157 FC157 FCF157	Y160M6 Y160M6 Y160M6 Y160M6	42	1690	33.74	0.90	FCA77 FCAF77 FC77 FCF77	Y132M4 Y132M4 Y132M4 Y132M4
4.4	16200	217.62*	1.10			48	1500	29.91	1.00		
5.4	13300	178.20*	1.35			56	1280	25.54	1.15		
5.9	12200	162.96	1.50								
6.8	10600	141.80*	1.70			56	1280	25.50*	1.15	FCA77 FCAF77 FC77 FCF77	Y132M4 Y132M4 Y132M4 Y132M4
7.7	9340	125.14	1.95			67	1070	21.43	1.40		
8.8	8090	108.49	2.2			73	990	19.70	1.50		
10	7200	96.53*	2.5			82	880	17.49	1.70		
11	6400	85.80*	2.8			91	785	15.64*	1.90		
12	5850	78.46	3.1			102	705	14.06	2.1		
14	5090	68.28*	3.5			117	610	12.20	2.5		
16	4500	60.25	4.0			131	545	10.93	2.7		
18	3900	52.24	4.6			154	465	9.30	2.3		
5.7	12500	125.37	0.95			173	415	8.26	2.6		
6.3	11400	114.34	1.05	194	370	7.39	2.9				
7.3	9840	98.95	1.20	215	335	6.64	3.3				
8.2	8690	87.31*	1.40	248	290	5.76	3.7				
5.6	12700	170.83	0.95	277	260	5.16	4.2				
6.2	11500	153.67*	1.05	334	215	4.28	4.7				
7.7	9350	125.37	1.30								
8.4	8530	114.34	1.40								
8.4	8560	170.83	1.40								
9.3	7700	153.67*	1.55								
11	6280	125.37	1.90								
8.0	8950	178.64	0.85	FCA107	Y132M4	4.8	20600	302	0.90	FCA157RC97	Y160M4
8.9	8080	161.28*	0.95	FCAF107	Y132M4	5.3	18600	273	0.95	FCAF157RC97	Y160M4
9.8	7340	146.49	1.05	FC107	Y132M4	6.2	15700	232	1.15	FC157RC97	Y160M4
11	6510	129.97	1.20	FCF107	Y132M4	7.1	13700	202	1.30	FCF157RC97	Y160M4
						7.3	13300	197	1.35		
12	5910	117.94	1.30			6.5	15200	223	0.80	FCA127RC87	Y160M4
14	5080	101.38*	1.50			7.3	13400	198	0.90	FCAF127RC87	Y160M4
15	4630	92.47*	1.65	FCA107	Y132M4	8.7	11300	166	1.05	FC127RC87	Y160M4
16	4430	88.49	1.75	FCAF107	Y132M4					FCF127RC87	Y160M4
17	4210	83.99	1.85	FC107	Y132M4						
19	3730	74.52	2.1	FCF107	Y132M4						
21	3390	67.62	2.3			5.1	20700	141.80*	0.85	FCA157	Y180L8
						5.8	18300	125.14	1.00	FCAF157	Y180L8
						6.6	15800	108.49	1.15	FC157	Y180L8
						7.5	14100	96.53*	1.30	FCF157	Y180L8

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljgb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号			
15.0kW						18.5kW								
43	3330	33.91	1.30	FCA97 FC97 FCF97	Y160L4	53	3310	27.44*	1.30	FCA97 FC97 FCF97	Y180M4			
48	2980	30.39	1.45			59	3010	24.92	1.45					
53	2690	27.44*	1.60			66	2670	22.11	1.60					
59	2450	24.92	1.75			73	2420	20.07	1.80					
66	2170	22.11	2.0			85	2080	17.25*	2.1					
73	1970	20.07	2.2			97	1820	15.06	2.4					
85	1690	17.25*	2.5			115	1540	12.77	2.8					
97	1480	15.06	2.9			131	1350	11.16	3.1					
114	1250	12.77	3.4											
131	1100	11.16	3.7											
55	2600	26.50	1.15	FCA87 FC87 FCF87	Y160L4	69	2570	21.32*	1.15	FCA87 FC87 FCF87	Y180M4			
62	2320	23.68	1.30			76	2330	19.31	1.30					
68	2090	21.32*	1.45			86	2060	17.12	1.45					
76	1890	19.31	1.60			95	1870	15.48	1.60					
85	1680	17.12	1.80			112	1580	13.12*	1.90					
94	1520	15.48	2.0			128	1380	11.46	2.2					
111	1290	13.12*	2.3			153	1160	9.58	2.5					
127	1120	11.46	2.7			177	1000	8.29	1.55					
152	940	9.58	3.1			199	890	7.35	1.75					
176	810	8.29	1.90			220	800	6.65	1.9					
199	720	7.35	2.1			260	680	5.63	2.3					
220	650	6.65	2.4			298	595	4.92	2.6					
259	555	5.63	2.8			356	495	4.12	2.9					
297	485	4.92	3.2											
355	405	4.12	3.6											
18.5kW						22kW								
7.2	22800	202	0.80	FCA157R97	Y-180M-4	10	20900	96.53*	0.85	FCA157	Y200L2-6			
7.5	22100	197	0.80	FCAF157R97	Y-180M-4	11	18600	85.80*	0.95	FCAF157	Y200L2-6			
				FC157R97	Y-180M-4	12	17000	78.46	1.05	FC157	Y200L2-6			
				FCF157R97	Y-180M-4	14	14800	68.28*	1.20	FCF157	Y200L2-6			
8.2	21500	178.20*	0.85	FCA157 FC157 FCF157	Y-180M-4	10	20300	141.80*	0.90	FCA157 FC157 FCF157	Y180L4			
9.0	19700	162.96	0.90			12	17900	125.14	1.00					
10	17100	141.80*	1.05			14	15600	108.49	1.15					
12	15100	125.14	1.20			15	13800	96.53*	1.30					
14	13100	108.49	1.40			17	12300	85.80*	1.45					
15	11600	96.53*	1.55			19	11300	78.46	1.60					
17	10300	85.80*	1.75			21	9790	68.28*	1.85					
19	9460	78.46	1.90			24	8640	60.25	2.1					
21	8230	68.28*	2.2			28	7490	52.24	2.4					
24	7270	60.25	2.5			32	6660	46.48*	2.7					
28	6300	52.24	2.9			37	5740	40.06	3.1					
						45	4670	32.55	3.9					
13	13800	114.34	0.85	FCA127 FC127 FCF127	Y-180M-4	15	14200	98.95	0.85	FCA127 FC127 FCF127	Y180L4			
15	11900	98.95	1.00			17	12500	87.31*	0.95					
17	10500	87.31*	1.15			19	10800	75.41*	1.10					
19	9090	75.41*	1.30			21	10000	70.07	1.20					
21	8450	70.07	1.40			23	9160	63.91	1.30					
23	7710	63.91	1.55			26	7930	55.31	1.50					
26	6670	55.31	1.80			30	7000	48.80	1.70					
30	5880	48.80	2.0			35	6040	42.15	2.0					
20	8990	74.52	0.85	FCA107 FC107 FCF107	Y180M4	25	8330	58.12*	0.90	FCA107 FC107 FCF107	Y180L4			
22	8150	67.62	0.95			29	7280	50.73	1.05					
25	7010	58.12*	1.10			34	6170	43.03	1.25					
29	6120	50.73	1.25											
34	5190	43.03	1.50	FCA107 FC107 FCF107	Y180M4	39	5390	37.61	1.40	FCA107 FC107 FCF107	Y180L4			
39	4540	37.61	1.70			46	4560	31.80	1.70					
46	3830	31.80	2.0											
43	4070	33.79*	1.80	FCA107 FC107 FCF107	Y180M4	43	4850	33.79*	1.55	FCA107 FC107 FCF107	Y180L4			
53	3320	27.57	2.4			53	3950	27.57	2.0					
58	3030	25.14	2.6			58	3810	25.14	2.5					
67	2620	21.76*	3.0			67	3120	21.76*	2.5					
						76	2750	19.20*	2.9					
38	4690	38.86	0.90	FCA97 FC97 FCF97	Y180M4	53	3940	27.44*	1.10	FCA97 FC97 FCF97	Y180L4			
45	3920	32.50	1.10			59	3570	24.92	1.20					
						66	3170	22.11	1.35					
						73	2880	20.07	1.50					
						85	2470	17.25*	1.75					
						97	2160	15.06	2.0					
				115	1830	12.77	2.4							
				131	1600	11.16	2.6							

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号						
22kW						37kW											
69	3060	21.32*	1.00	FCA87 FCAF87 FC87 FCF87	Y180L4 Y180L4 Y180L4 Y180L4	27	13300	55.31	0.90	FCA127 FCAF127 FC127 FCF127	Y225S4 Y225S4 Y225S4 Y225S4						
76	2770	19.31	1.10			30	11700	48.80	1.00								
86	2460	17.12	1.20			35	10100	42.15	1.20								
95	2220	15.48	1.35			39	8960	37.28	1.35								
112	1880	13.12*	1.60			47	7530	31.33	1.60	FCA127 FCAF127 FC127 FCF127	Y225S4 Y225S4 Y225S4 Y225S4						
128	1640	11.46	1.85			55	6460	26.86	1.30								
153	1370	9.59	2.1			60	5910	24.57	1.45								
177	1190	8.29	1.30			69	5140	21.38	2.3								
199	1050	7.35	1.45			78	4530	18.87	2.4								
220	950	6.65	1.60			90	3930	16.36	2.8								
250	810	5.63	1.90			101	3500	14.55	3.1								
298	705	4.92	2.2			117	3010	12.54	3.3								
356	590	4.12	2.5			144	2450	10.19	3.9								
30kW						45kW											
14	21100	108.49	0.85	FCA157 FCAF157 FC157 FCF157	Y200L4 Y200L4 Y200L4 Y200L4	53	6630	27.57	1.20			FCA107 FCAF107 FC107 FCF107	Y225S4 Y225S4 Y225S4 Y225S4				
15	18800	96.53*	0.95			58	6040	25.14	1.30								
17	16700	85.80	1.10			68	5230	21.76*	1.50								
19	15300	78.46	1.20			77	4610	19.20*	1.70								
22	13300	68.28*	1.35			89	3990	16.58	1.95								
24	11700	60.25	1.55			100	3530	14.67	2.2								
28	10200	52.24	1.75			119	2960	12.33	2.4								
32	9060	46.48*	2.0			148	2390	9.96	2.7								
37	7810	40.06	2.3			152	2330	9.69	2.1								
19	14700	75.41*	0.80			176	2010	8.37	2.4	FCA157 FCAF157 FC157 FCF157	Y225M4 Y225M4 Y225M4 Y225M4						
21	13700	70.07	0.90	199	1780	7.40	2.6										
23	12500	63.91	0.95	236	1500	6.22	3.1										
27	10800	55.31	1.10	45kW													
30	9510	48.80	1.25	22	20000	68.28*	0.90	FCA127 FCAF127 FC127 FCF127	Y200L4 Y200L4 Y200L4 Y200L4								
35	8210	42.15	1.45	24	17600	60.25	1.00										
39	7270	37.28	1.65	28	15300	52.24	1.20										
47	6110	31.33	1.95	32	13600	46.48*	1.30										
58	4930	25.30	2.4	37	11700	40.06	1.55										
55	5240	26.86	1.60	45	9510	32.55	1.90										
60	4790	24.57	1.80	53	8070	27.60	2.2										
69	4170	21.38	2.9	30	14300	48.80	0.85			FCA127 FCAF127 FC127 FCF127	Y225M4 Y225M4 Y225M4 Y225M4						
78	3680	18.87	3.0	35	12300	42.15	0.95										
34	8390	43.03	0.90	39	10900	37.28	1.10										
39	7330	37.61	1.05	47	9160	31.33	1.30										
46	6200	31.80	1.25	58	7400	25.30	1.60										
53	5370	27.57	1.45	55	7850	26.86	1.10	FCA127 FCAF127 FC127 FCF127	Y225M4 Y225M4 Y225M4 Y225M4								
58	4900	25.14	1.60	60	7180	24.57	1.20										
68	4240	21.76*	1.85	69	6250	21.38	1.90										
77	3740	19.20*	2.1	78	5520	18.87	2.0										
89	3230	16.58	2.4	90	4780	16.36	2.3										
100	2860	14.67	2.7	101	4250	14.55	2.6										
119	2400	12.33	2.9	117	3670	12.54	2.7										
148	1940	9.96	3.4	144	2980	10.19	3.2										
66	4310	22.11	1.00	166	2590	8.86	2.7			FCA127 FCAF127 FC127 FCF127	Y225M4 Y225M4 Y225M4 Y225M4						
73	3910	20.07	1.10	186	2300	7.88	2.6										
85	3360	17.25*	1.30	216	1990	6.80	3.5										
98	2930	15.06	1.45	266	1610	5.52	3.7										
115	2490	12.77	1.75	53	8060	27.57	0.95										
132	2180	11.16	1.90	58	7350	25.14	1.05										
162	1770	9.06	1.35	68	6360	21.76*	1.25										
179	1600	8.22	1.45	77	5610	19.20*	1.40										
208	1380	7.07	1.70	89	4850	16.58	1.60										
238	1200	6.17	1.85	100	4290	14.67	1.80										
281	1020	5.23	2.1	119	3600	12.33	1.95										
321	890	4.57	2.3	148	2910	9.96	2.2										
37kW						55kW											
17	20600	85.80*	0.85	FCA157 FCAF157 FC157 FCF157	Y225S4 Y225S4 Y225S4 Y225S4	152	2830	9.69	1.75	FCA107 FCAF107 FC107 FCF107	Y225M4 Y225M4 Y225M4 Y225M4						
19	18900	78.46	0.95			176	2450	8.37	1.95								
22	16400	68.28*	1.10			199	2160	7.40	2.1								
24	14500	60.25	1.25			236	1820	6.22	2.5								
28	12600	52.24	1.45			55kW											
32	11200	46.48*	1.60			53	8060	27.57	0.95			FCA127 FCAF127 FC127 FCF127	Y225M4 Y225M4 Y225M4 Y225M4				
37	9630	40.06	1.85			58	7350	25.14	1.05								
45	7820	32.55	2.3			68	6360	21.76*	1.25								
53	6630	27.60	2.7			77	5610	19.20*	1.40								
37kW						75kW											
17	20600	85.80*	0.85			FCA157 FCAF157 FC157 FCF157	Y225S4 Y225S4 Y225S4 Y225S4	152	2830					9.69	1.75	FCA107 FCAF107 FC107 FCF107	Y225M4 Y225M4 Y225M4 Y225M4
19	18900	78.46	0.95	176	2450			8.37	1.95								
22	16400	68.28*	1.10	199	2160			7.40	2.1								
24	14500	60.25	1.25	236	1820			6.22	2.5								
28	12600	52.24	1.45	75kW													
32	11200	46.48*	1.60	53	8060			27.57	0.95	FCA127 FCAF127 FC127 FCF127	Y225M4 Y225M4 Y225M4 Y225M4						
37	9630	40.06	1.85	58	7350			25.14	1.05								
45	7820	32.55	2.3	68	6360			21.76*	1.25								
53	6630	27.60	2.7	77	5610			19.20*	1.40								

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	输出扭矩	传动比	服务系数	机座号	电机型号	输出转速	输出扭矩	传动比	服务系数	机座号	电机型号		
55.0kW						90.0kW							
24	21500	60.25	0.85	FCA157 FCAF157 FC157 FCF157	Y250M4	45	18900	32.55	0.95	FCA157 FCAF157 FC157 FCF157	Y280M4		
28	18600	52.24	0.95			54	16000	27.60	1.10				
32	16500	46.48*	1.10			52	16600	28.60*	1.00				
37	14300	40.06	1.25			58	14800	25.43	1.00				
45	11600	32.55	1.55			67	12900	22.16	1.40				
53	9830	27.60	1.85	75	11500	19.77	1.50	FCA157 FCAF157 FC157 FCF157	Y280M4				
52	10200	28.60*	1.65	88	9790	16.85	1.85						
58	9060	25.43	1.65	106	8110	13.96	2.1						
67	7890	22.16	2.3	124	6920	11.92	2.3						
75	7040	19.77	2.4	FCA127 FCAF127 FC127 FCF127	Y250M4	58	14700	25.30	0.80	FCA127	Y280M4		
88	6000	16.85	3.0			69	12400	21.38	0.95	FCAF127	Y280M4		
40	13300	37.28	0.90			78	11000	18.87	1.00	FC127	Y280M4		
47	11200	31.33	1.10	FCA127 FCAF127 FC127 FCF127	Y250M4	90	9500	16.36	1.15	102	8450	14.55	1.30
58	9010	25.30	1.35			118	7280	12.54	1.35	145	5920	10.19	1.60
69	7610	21.38	1.60			167	5150	8.86	1.35	167	5150	8.86	1.35
78	6720	18.87	1.65			188	4580	7.88	1.30	188	4580	7.88	1.30
90	5820	16.36	1.90			218	3950	6.80	1.75	218	3950	6.80	1.75
101	5180	14.55	2.1			268	3210	5.52	1.85	268	3210	5.52	1.85
118	4470	12.54	2.2			316	2720	4.68	2.2	316	2720	4.68	2.2
145	3630	10.19	2.6			110kW							
166	3160	8.86	2.2			54	19500	27.60	0.90	FCA157	Y315S4		
187	2810	7.88	2.1			FCAF157 FC157 FCF157	Y280S4	67	15700	22.16	1.15	FCA157	Y315S4
217	2420	6.80	2.9					75	14000	19.77	1.20	FCAF157	Y315S4
267	1970	5.52	3.1					88	11900	16.85	1.50	FC157	Y315S4
315	1670	4.68	3.6					106	9880	13.96	1.70	FCF157	Y315S4
				125	8430			11.92	1.90				
75kW						132kW							
32	22500	46.48*	0.80	FCA157 FCAF157 FC157 FCF157	Y280S4	67	18800	22.16	0.95	FCA157 FCAF157 FC157 FCF157	Y315M1-4		
37	19400	40.06	0.95			75	16800	19.77	1.00				
45	15800	32.55	1.15			88	14300	16.85	1.25				
54	13400	27.60	1.35			106	11900	13.96	1.45				
						125	10100	11.92	1.60				
52	13800	28.60*	1.25	FCA127 FCAF127 FC127 FCF127	Y280S4	160kW							
58	12300	25.43	1.20			88	17300	16.85	1.05	FCA157 FCAF157 FC157 FCF157	Y315M1-4		
67	10700	22.16	1.70			106	14400	13.96	1.20				
75	9570	19.77	1.80			125	12300	11.92	1.30				
88	8150	16.85	2.2			200kW							
706	6760	13.96	2.5	FCA127 FCAF127 FC127 FCF127	Y280S4	88	21700	16.85	0.85	FCA157 FCAF157 FC157 FCF157	Y315M1-4		
124	5770	11.92	2.8			106	18000	13.96	0.95				
58	12200	25.30	1.00			125	15300	11.92	1.05				
69	10300	21.38	1.15										
78	9130	18.87	1.20										
90	7920	16.36	1.40										
102	7040	14.55	1.55										
118	6070	12.54	1.65										
145	4930	10.19	1.95										
167	4290	8.86	1.65										
188	3810	7.88	1.55										
218	3290	6.80	2.1										
268	2670	5.52	2.3										
316	2270	4.68	2.7										

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	传动比	许用径向力	机座号	电机型号	输出转速	传动比	许用径向力	机座号	电机型号
130Nm					200Nm				
0.15	8972	4500	FCA27RC17 YS6314 FCAF27RC17 YS6314 FC27RC17 YS6314 FCF27RC17 YS6314		4.6	285	4290	FCA37RC17	YS6324
0.18	7736	4500			5.3	250	4290	FCAF37RC17	YS6324
0.19	7211	4500			6.0	219	4290	FC37RC17	YS6324
0.22	6303	4500			7.1	186	4290	FCF37RC17	YS6324
0.25	5435	4500			7.80	167	4290	FCA37RC17	YS7114
0.28	4855	4500			8.90	145	4290	FCAF37RC17	YS7114
0.33	4243	4500			10	129	4290	FC37RC17	YS7114
0.37	3715	4500						FCF37RC17	YS7114
0.43	3247	4500			400Nm				
0.48	2878	4500			0.11	12251	5920	FCA47RC17 YS6314 FCAF47RC17 YS6314 FC47RC17 YS6314 FCF47RC17 YS6314	
0.55	2515	4500			0.13	10619	5920		
0.62	2217	4500	0.14	9846	5920				
0.73	1898	4500	0.16	8534	5920				
0.84	1645	4500	0.19	7460	5920				
0.90	1525	4500	0.21	6536	5920				
1.0	1322	4500	0.24	5746	5920				
1.2	1146	4500	0.27	5022	5920				
1.4	1013	4500	0.31	4401	5920				
1.6	890	4500	0.36	3883	5920				
1.8	778	4500	0.40	3443	5920				
2.0	682	4500	0.46	2976	5920				
2.3	602	4500	0.52	2629	5920				
2.6	520	4500	0.55	2519	5920	FCA47RC17 YS6314 FCAF47RC17 YS6314 FC47RC17 YS6314 FCF47RC17 YS6314			
3.0	458	4500	0.58	2394	5920				
3.5	397	4500	0.64	2172	5920				
4.0	342	4500	0.68	2025	5920				
4.6	302	4500	0.78	1770	5920				
5.2	266	4500	0.88	1576	5920				
5.9	236	4500	1.0	1363	5920				
6.5	211	4500	1.2	1192	5920				
7.1	186	4500	1.3	1061	5920				
7.3	142	4500	1.5	931	5920				
11	124	4500	1.7	822	5920				
			2.0	706	5920				
12	109	4500	2.1	619	5920	FCA47RC17 YS6324 FCAF47RC17 YS6324 FC47RC17 YS6324 FCF47RC17 YS6324			
14	96	4500	2.5	524	5920	FCA47RC17 YS6324 FCAF47RC17 YS6324 FC47RC17 YS6324 FCF47RC17 YS6324			
200Nm					2.7	489	5920	FCA47RC17 YS6324 FCAF47RC17 YS6324 FC47RC17 YS6324 FCF47RC17 YS6324	
0.17	8193	4290	FCA37RC17 YS6314 FCAF37RC17 YS6314 FC37RC17 YS6314 FCF37RC17 YS6314		3.1	427	5920	FCA47RC17 YS7114 FCAF47RC17 YS7114 FC47RC17 YS7114 FCF47RC17 YS7114	
0.20	7064	4290			3.5	381	5920	FCA47RC17 YS7114 FCAF47RC17 YS7114 FC47RC17 YS7114 FCF47RC17 YS7114	
0.21	6585	4290			3.9	334	5920	FCA47RC17 YS7124 FCAF47RC17 YS7124 FC47RC17 YS7124 FCF47RC17 YS7124	
0.24	5756	4290			4.4	295	5920	FCA47RC17 YS8014 FCAF47RC17 YS8014 FC47RC17 YS8014 FCF47RC17 YS8014	
0.28	4963	4290			5.1	253	5920		
0.31	4434	4290			6.4	217	5920		
0.36	3875	4290			7.3	190	5920		
0.41	3392	4290			7.8	178	5920		
0.47	2965	4290			9.1	149	5920		
0.53	2587	4290			10	131	5920		
0.60	2284	4290			600Nm				
0.69	1997	4290	0.09	14832	9200	FCA57RC37 YS6314 FCAF57RC37 YS6314 FC57RC37 YS6314 FCF57RC37 YS6314			
0.72	1929	4290	0.10	13604	9200				
0.82	1679	4290	0.11	12602	9200				
0.89	1550	4290	0.12	11252	9200				
1.0	1356	4290	0.14	9986	9200				
1.2	1180	4290	0.16	8787	9200				
1.3	1044	4290	0.17	7908	9200				
1.5	914	4290	0.20	6913	9200				
1.7	808	4290	0.23	6030	9200				
2.0	698	4290	0.26	5289	9200				
2.2	616	4290	0.30	4654	9200				
2.5	544	4290	0.34	4060	9200				
3.0	466	4290	0.39	3564	9200				
3.4	411	4290	0.44	3161	9200				
3.8	364	4290							
4.2	326	4290							

上海梁瑾机电设备有限公司

电话：021-60538280 手机：13916695992 13661935973 QQ:1774474796

邮箱：1774474796@qq.com

网址：www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址：上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	传动比	许用径向力	机座号	电机型号	输出转速	传动比	许用径向力	机座号	电机型号		
600Nm					820Nm						
0.48	2854	9200	FCA57RC37 FCAF57RC37 FC57RC37 FCF57RC37	YS6314 YS6314 YS6314 YS6314	2.8	500	10300	FCA67RC37	YS7124		
0.54	2576	9200			FCAF67RC37	YS7124					
0.61	2266	9200			FC67RC37	YS7124					
0.69	2012	9200			FCF67RC37	YS7124					
0.77	1791	9200									
0.85	1617	9200									
0.97	1422	9200									
1.1	1243	9200									
1.3	1066	9200									
1.4	949	9200									
1.5	856	9200	FCA57RC37	YS6324	6.9	200	10300	FCA67RC37	YS8024		
1.8	749	9200	FCAF57RC37	YS6324	FCAF67RC37	YS8024					
2.0	658	9200	FC57RC37	YS6324	FC67RC37	YS8024					
			FCF57RC37	YS6324	FCF67RC37	YS8024					
2.4	549	9200	FCA57RC37	YS7114	1500Nm						
2.7	483	9200	FCAF57RC37	YS7114	0.07	19180	15700	FCA77RC37 FCAF77RC37 FC77RC37 FCF77RC37	YS6314 YS6314 YS6314 YS6314		
			FC57RC37	YS7114	0.08	17593	15700				
			FCF57RC37	YS7114	0.09	16128	15700				
3.1	426	9200	FCA57RC37	YS7114	0.09	14978	15700				
3.4	382	9200	FCAF57RC37	YS7114	0.10	13731	15700				
			FC57RC37	YS7114	0.11	12049	15700				
			FCF57RC37	YS7114	0.13	11035	15700				
4.2	330	9200	FCA57RC37	YS7124	0.14	9683	15700				
4.6	298	9200	FCAF57RC37	YS7124	0.16	8464	15700				
5.3	262	9200	FC57RC37	YS7124	0.18	7520	15700				
			FCF57RC37	YS7124	0.21	6580	15700				
6.0	226	9200	FCA57RC37	YS8014	0.24	5808	15700				
6.8	200	9200	FCAF57RC37	YS8014	0.27	5026	15700				
			FC57RC37	YS8014	0.31	4435	15700				
			FCF57RC37	YS8014	0.36	3832	15700				
8.1	170	9200	FCA57RC37	YS8024	0.46	2978	15700				
9.1	152	9200	FCAF57RC37	YS8024	0.53	2613	15700				
10	134	9200	FC57RC37	YS8024	0.60	2284	15700				
			FCF57RC37	YS8024	0.65	2029	15700				
820Nm											
0.07	19199	10300	FCA67RC37 FCAF67RC37 FC67RC37 FCF67RC37	YS6314 YS6314 YS6314 YS6314	0.76	1728	15700	FCA77RC37	YS6324		
0.08	17610	10300			FCAF77RC37	YS6324					
0.09	14992	10300			FC77RC37	YS6324					
0.11	12926	10300			FCF77RC37	YS6324					
0.12	11480	10300									
0.14	10220	10300									
0.15	8933	10300									
0.17	7940	10300									
0.19	7096	10300									
0.23	6080	10300									
0.26	5341	10300									
0.29	4690	10300									
0.34	4091	10300									
0.39	3574	10300									
0.44	3133	10300									
0.50	2756	10300									
0.57	2439	10300									
0.41	3377	10300			FCA67RC37	YS6314	1.1	1200	15700	FCA77RC37	YS7114
0.47	2912	10300			FCAF67RC37	YS6314	1.2	1053	15700	FCAF77RC37	YS7114
0.51	2714	10300			FC67RC37	YS6314				FC77RC37	YS7114
0.58	2372	10300	FCF67RC37	YS6314				FCF77RC37	YS7114		
0.65	2126	10300			1.5	910	15700	FCA77RC37	YS7124		
0.85	1631	10300			1.7	810	15700	FCAF77RC37	YS7124		
0.96	1437	10300			1.9	710	15700	FC77RC37	YS7124		
1.1	1256	10300						FCF77RC37	YS7124		
1.2	1126	10300	FCA67RC37	YS6324	2.2	615	15700	FCA77RC37	YS8014		
1.3	984	10300	FCAF67RC37	YS6324	2.5	538	15700	FCAF77RC37	YS8014		
1.5	864	10300	FC67RC37	YS6324	2.8	480	15700	FC77RC37	YS8014		
			FCF67RC37	YS6324				FCF77RC37	YS8014		
1.8	722	10300	FCA67RC37	YS7114	3.4	413	15700	FCA77RC37	YS8024		
2.0	634	10300	FCAF67RC37	YS7114	3.8	367	15700	FCAF77RC37	YS8024		
2.4	539	10300	FC67RC37	YS7114	4.3	323	15700	FC77RC37	YS8024		
			FCF67RC37	YS7114				FCF77RC37	YS8024		
0.73	1884	10300	FCA67RC37	YS6314	3000Nm						
			FCAF67RC37	YS6314	0.06	23042	19800	FCA87RC57 FCAF87RC57 FC87RC57 FCF87RC57	YS6314 YS6314 YS6314 YS6314		
			FC67RC37	YS6314	0.07	20462	19800				
			FCF67RC37	YS6314	0.08	18238	19800				
					0.09	15877	19800				
					0.10	14099	19800				
					0.11	12205	19800				
					0.13	10433	19800				
					0.15	9381	19800				
					0.17	8142	19800				
					0.19	7100	19800				
					0.22	6273	19800				
					0.25	5510	19800				
					0.28	4954	19800				

上海梁瑾机电设备有限公司

电话：021-60538280 手机：13916695992 13661935973 QQ:1774474796

邮箱：1774474796@qq.com

网址：www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址：上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	传动比	许用径向力	机座号	电机型号	输出转速	传动比	许用径向力	机座号	电机型号
3000Nm					4300Nm				
0.31	4245	19800	FCA87RC57	YS6324	1.6	898	29900	FCA97RC57	Y90S4
0.35	3721	19800	FCAF87RC57	YS6324	1.8	784	29900	FCAF97RC57	Y90S4
			FC87RC57	YS6324	2.0	690	29900	FC97RC57	Y90S4
			FCF87RC57	YS6324				FCF97RC57	Y90S4
0.41	3244	19800	FCA87RC57	YS6324	2.3	605	29900	FCA97RC57	Y90L4
0.46	2881	19800	FCAF87RC57	YS6324	2.7	529	29900	FCAF97RC57	Y90L4
			FC87RC57	YS6324	3.0	467	29900	FC97RC57	Y90L4
			FCF87RC57	YS6324				FCF97RC57	Y90L4
0.50	2576	19800	FCA87RC57	YS7114	3.5	406	29900	FCA97RC57	Y90L1-4
0.59	2199	19800	FCAF87RC57	YS7114	3.9	363	29900	FCAF97RC57	Y90L1-4
0.67	1930	19800	FC87RC57	YS7114				FC97RC57	Y90L1-4
			FCF87RC57	YS7114				FCF97RC57	Y90L1-4
0.81	1709	19800	FCA87RC57	YS7124	4.9	285	29900	FCA97RC57	Y90L2-4
0.92	1493	19800	FCAF87RC57	YS7124	5.7	245	29900	FCAF97RC57	Y90L2-4
			FC87RC57	YS7124				FC97RC57	Y90L2-4
			FCF87RC57	YS7124				FCF97RC57	Y90L2-4
1.1	1300	19800	FCA87RC57	YS8014	7680Nm				
1.2	1148	19800	FCAF87RC57	YS8014	0.05	25375	49800	FCA107RC77	YS6314
1.4	1010	19800	FC87RC57	YS8014	0.06	21652	49800	FCAF107RC77	YS6314
1.5	887	19800	FCF87RC57	YS8014	0.07	18933	49800	FC107RC77	YS6314
					0.08	16888	49800	FCF107RC77	YS6314
1.8	780	19800	FCA87RC57	YS8024	0.09	14767	49800		
2.0	674	19800	FCAF87RC57	YS8024					
			FC87RC57	YS8024	0.12	11348	49800	FCA107RC77	YS6324
			FCF87RC57	YS8024	0.13	10039	49800	FCAF107RC77	YS6324
2.3	609	19800	FCA87RC57	Y90S4	0.15	8584	49800	FC107RC77	YS6324
2.7	515	19800	FCAF87RC57	Y90S4	0.17	7674	49800	FCF107RC77	YS6324
3.1	452	19800	FC87RC57	Y90S4					
			FCF87RC57	Y90S4					
4.1	345	19800	FCA87RC57	Y90L4	0.19	6767	49800	FCA107RC77	YS7114
			FCAF87RC57	Y90L4	0.22	5954	49800	FCAF107RC77	YS7114
			FC87RC57	Y90L4	0.25	5223	49800	FC107RC77	YS7114
			FCF87RC57	Y90L4				FCF107RC77	YS7114
4300Nm					0.30	4567	49800	FCA107RC77	YS7124
0.07	20813	29900			0.39	3521	49800	FCAF107RC77	YS7124
0.08	18119	29900						FC107RC77	YS7124
0.09	15472	29900						FCF107RC77	YS7124
0.10	14022	29900	FCA97RC57	YS6314	0.45	3037	49800	FCA107RC77	YS8014
0.11	12324	29900	FCAF97RC57	YS6314	0.49	2756	49800	FCAF107RC77	YS8014
0.13	10838	29900	FC97RC57	YS6314	0.57	2369	49800	FC107RC77	YS8014
0.14	9576	29900	FCF97RC57	YS6314				FCF107RC77	YS8014
0.17	8318	29900							
0.19	7328	29900			0.67	2068	49800	FCA107RC77	YS8024
					0.76	1826	49800	FCAF107RC77	YS8024
0.20	6469	29900	FCA97RC57	YS6324				FC107RC77	YS8024
0.24	5615	29900	FCAF97RC57	YS6324				FCF107RC77	YS8024
0.27	4961	29900	FC97RC57	YS6324	0.88	1597	49800	FCA107RC77	Y90S4
0.30	4333	29900	FCF97RC57	YS6324	1.0	1401	49800	FCAF107RC77	Y90S4
					1.1	1243	49800	FC107RC77	Y90S4
								FCF107RC77	Y90S4
0.33	3906	29900	FCA97RC57	YS7114	1.3	1087	49800	FCA107RC77	Y90L4
0.39	3352	29900	FCAF97RC57	YS7114	1.5	950	49800	FCAF107RC77	Y90L4
0.45	2907	29900	FC97RC57	YS7114				FC107RC77	Y90L4
			FCF97RC57	YS7114				FCF107RC77	Y90L4
0.54	2553	29900	FCA97RC57	YS7124	1.7	834	49800	FCA107RC77	Y100L1-4
0.61	2245	29900	FCAF97RC57	YS7124	1.9	736	49800	FCAF107RC77	Y100L1-4
0.70	1970	29900	FC97RC57	YS7124	2.2	640	49800	FC107RC77	Y100L1-4
			FCF97RC57	YS7124				FCF107RC77	Y100L1-4
0.79	1722	29900	FCA97RC57	YS8014	2.5	560	49800	FCA107RC77	Y100L2-4
0.89	1527	29900	FCAF97RC57	YS8014	2.9	489	49800	FCAF107RC77	Y100L2-4
1.0	1327	29900	FC97RC57	YS8014	3.2	436	49800	FC107RC77	Y100L2-4
			FCF97RC57	YS8014				FCF107RC77	Y100L2-4
1.2	1171	29900	FCA97RC57	YS8024	3.8	370	49800	FCA107RC77	Y112M4
1.4	1022	29900	FCAF97RC57	YS8024	4.3	333	49800	FCAF107RC77	Y112M4
			FC97RC57	YS8024				FC107RC77	Y112M4
			FCF97RC57	YS8024				FCF107RC77	Y112M4

上海梁瑾机电设备有限公司

电话: 021-60538280 手机: 13916695992 13661935973 QQ:1774474796

邮箱: 1774474796@qq.com

网址: www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址: 上海市松江区新桥镇茜浦路 850 弄 33 号

输出转速	传动比	许用径向力	机座号	电机型号	输出转速	传动比	许用径向力	机座号	电机型号
12000Nm					18000Nm				
0.06	24478	90000	FCA127RC77	YS6314	0.04	31434	100300		
0.06	22323	90000	FCAF127RC77	YS6314	0.05	26173	100300		
0.07	19048	90000	FC127RC77	YS6314	0.06	23464	100300	FCA157RC97	YS8014
			FCF127RC77	YS6314	0.07	20212	100300	FCAF157RC97	YS8014
0.08	16656	90000	FCA127RC77	YS6324	0.08	17984	100300	FC157RC97	YS8014
0.09	14722	90000	FCAF127RC77	YS6324	0.08	16358	100300	FCF157RC97	YS8014
0.10	12912	90000	FC127RC77	YS6324	0.10	13751	100300		
0.11	11656	90000	FCF127RC77	YS6324	0.11	12235	100300		
0.13	10191	90000	FCA127RC77	YS7114	0.14	10033	100300	FCA157RC97	Y90S4
0.15	8831	90000	FCAF127RC77	YS7114	0.16	9021	100300	FCAF157RC97	Y90S4
			FC127RC77	YS7114	0.17	8026	100300	FC157RC97	Y90S4
			FCF127RC77	YS7114				FCF157RC97	Y90S4
0.18	7643	90000	FCA127RC77	YS7124	0.19	7075	100300	FCA157RC97	YS8014
0.21	6715	90000	FCAF127RC77	YS7124	0.22	6295	100300	FCAF157RC97	YS8014
0.23	5925	90000	FC127RC77	YS7124				FC157RC97	YS8014
			FCF127RC77	YS7124				FCF157RC97	YS8014
0.26	5153	90000	FCA127RC77	YS8014	0.26	5404	100300	FCA157RC97	YS8024
0.30	4533	90000	FCAF127RC77	YS8014				FCAF157RC97	YS8024
0.35	3926	90000	FC127RC77	YS8014				FC157RC97	YS8024
			FCF127RC77	YS8014				FCF157RC97	YS8024
0.40	3454	90000	FCA127RC77	YS8024	0.29	4831	100300	FCA157RC97	Y90S4
0.46	3031	90000	FCAF127RC77	YS8024	0.34	4130	100300	FCAF157RC97	Y90S4
			FC127RC77	YS8024				FC157RC97	Y90S4
			FCF127RC77	YS8024				FCF157RC97	Y90S4
0.52	2672	90000	FCA127RC77	YS8024	0.39	3607	100300	FCA157RC97	Y100L1-4
			FCAF127RC77	YS8024	0.44	3210	100300	FCAF157RC97	Y100L1-4
			FC127RC77	YS8024				FC157RC97	Y100L1-4
			FCF127RC77	YS8024				FCF157RC97	Y100L1-4
0.59	2357	90000	FCA127RC77	Y90S4	0.50	2780	100300	FCA157RC97	Y90S4
0.69	2038	90000	FCAF127RC77	Y90S4				FCAF157RC97	Y90S4
0.79	1784	90000	FC127RC77	Y90S4				FC157RC97	Y90S4
			FCF127RC77	Y90S4				FCF157RC97	Y90S4
0.88	1606	90000	FCA127RC77	Y90L4	0.98	1441	100300	FCA157RC97	Y100L1-4
1.00	1390	90000	FCAF127RC77	Y90L4				FCAF157RC97	Y100L1-4
			FC127RC77	Y90L4				FC157RC97	Y100L1-4
			FCF127RC77	Y90L4				FCF157RC97	Y100L1-4
1.2	1220	90000	FCA127RC77	Y100L1-4	0.58	2427	100300	FCA157RC97	Y90L4
1.3	1077	90000	FCAF127RC77	Y100L1-4	0.65	2185	100300	FCAF157RC97	Y90L4
1.5	930	90000	FC127RC77	Y100L1-4				FC157RC97	Y90L4
			FCF127RC77	Y100L1-4				FCF157RC97	Y90L4
1.7	820	90000	FCA127RC77	Y100L2-4	0.73	1944	100300	FCA157RC97	Y100L1-4
1.9	727	90000	FCAF127RC77	Y100L2-4	0.84	1674	100300	FCAF157RC97	Y100L1-4
2.2	648	90000	FC127RC77	Y100L2-4				FC157RC97	Y100L1-4
			FCF127RC77	Y100L2-4				FCF157RC97	Y100L1-4
2.6	549	90000	FCA127RC77	Y112M4	1.1	1308	100300	FCA157RC97	Y100L2-4
2.9	495	90000	FCAF127RC77	Y112M4	1.2	1169	100300	FCAF157RC97	Y100L2-4
			FC127RC77	Y112M4				FC157RC97	Y100L2-4
			FCF127RC77	Y112M4				FCF157RC97	Y100L2-4
3.3	428	90000	FCA127RC77	Y132S4	1.5	953	100300	FCA157RC97	Y112M4
3.8	376	90000	FCAF127RC77	Y132S4	1.7	845	100300	FCAF157RC97	Y112M4
			FC127RC77	Y132S4	1.9	764	100300	FC157RC97	Y112M4
			FCF127RC77	Y132S4				FCF157RC97	Y112M4
3.0	483	90000	FCA127RC77	Y132S4	2.1	680	100300	FCA157RC97	Y132S4
3.4	418	90000	FCAF127RC77	Y132S4	2.5	576	100300	FCAF157RC97	Y132S4
3.8	374	90000	FC127RC77	Y132S4				FC157RC97	Y132S4
			FCF127RC77	Y132S4				FCF157RC97	Y132S4
4.6	312	90000	FCA127RC77	Y132M4	2.8	503	100300	FCA157RC97	Y132M4
4.9	293	90000	FCAF127RC77	Y132M4	3.2	446	100300	FCAF157RC97	Y132M4
			FC127RC77	Y132M4				FC157RC97	Y132M4
			FCF127RC77	Y132M4				FCF157RC97	Y132M4
7.3	198	90000	FCA127RC77	Y160M4	4.8	302	100300	FCA157RC97	Y160M4
			FCAF127RC77	Y160M4	5.3	273	100300	FCAF157RC97	Y160M4
			FC127RC77	Y160M4				FC157RC97	Y160M4
			FCF127RC77	Y160M4				FCF157RC97	Y160M4
					6.3	232	100300	FCA157RC97	Y160L4
					7.2	202	100300	FCAF157RC97	Y160L4
								FC157RC97	Y160L4
								FCF157RC97	Y160L4
					7.5	197	100300	FCA157RC97	Y180M4
								FCAF157RC97	Y180M4
								FC157RC97	Y180M4
								FCF157RC97	Y180M4

上海梁瑾机电设备有限公司

电话：021-60538280 手机：13916695992 13661935973 QQ:1774474796

邮箱：1774474796@qq.com

网址：www.liangjinqb.com www.liangjindy.com www.zik-ljqb.com

地址：上海市松江区新桥镇茜浦路 850 弄 33 号

